



CATALOGUE FREE STANDING 2016/2017

Washing machines

Dishwashers

Refrigerators

Freezers

Microwaves

Cookers

<http://www.brandt.com/international>

Brandt

Whatever today brings.

Brandt

Whatever today brings.



EDITORIAL

Brandt always places people at the heart of its expertise. That is why we designed adapted appliances, whose only goal is:

Facilitate everyday life.

We have developed simple and ingenious technologies that meet all needs: whether on a daily basis or on special occasions.

Simply because the brandt appliances are designed by **men**.

<http://www.brandt.com/international>

FREE STANDING



WASHING - P04

■ Top-loading washing machines	5
■ Front-loading washing machines	13
■ Front-loading tumble dryer	24
■ Dishwashers	25

COOLING - P35

■ Refrigerators	35
■ Upright freezers	46
■ Chest freezers	49

COOKING - P51

■ Microwaves	51
■ Cookers	58

■ Technical charts	66
--------------------	----

TOP-LOADING WASHING MACHINES

intellect



BRANDT REVOLUTIONIZES TOP-LOADING WASHING MACHINE

BRANDT INVENTS **i**n intellect

To meet everyday needs, and even those of extraordinary days, Brandt is, and always has been, at your side. Ever since popularizing washing machines in the 1950s, the brand has never ceased to innovate, bringing you ingenious and unique solutions. **Today, the brand is strongly reasserting its washing expertise and has invented Intellect, the smart top-loading washing machine.**



PURE LINES, INTUITIVE CONTROLS

The Intellect top-loading washing machine has personality, and displays it proudly. It has a new, solid hatch door and the handle has been redesigned for better grip. These features combine with the all-new ergonomic control panel to bring you an **unparalleled washing experience**. Available with a touchscreen control panel and LED feedback, or in a Turn & Press dial version with a large white LCD display. This new range of top-loading washing machines offers **the best** in terms of **programming** and **ease of use**.

in intellect SMARTER AND MORE FUNCTIONAL THAN EVER BEFORE

easy start

YOUR REGULAR WASHES AT YOUR FINGERTIPS

The Intellect top-loading washing machine records all your settings at each cycle and permanently updates all the data. **As soon as it is switched on, your machine will automatically suggest** your favourite programme from among the last eight cycles you have launched. **For each new wash, simply press Start.**



opti⁴

THE BEST POSSIBLE WASH THANKS TO FOUR OPTIMISED PARAMETERS

In terms of the **type of fibre**, the **quantity of laundry** and the **level of soiling and water hardness**, Intellect washing machine adapts water and electricity consumption, and the length of the cycle, to obtain a washing result that is always perfect.

A HIGH-PERFORMANCE WASHING MACHINE

wA^{+++ -10%}
Attless
silence

Some models in the range are equipped with an induction motor, which significantly reduces power consumption. Most of the range scores an **A+++** energy savings rating, with some machines going as high as **A+++ -10%**. This new induction motor, combined with improved drum-immersion and sound-proofing in the body, cuts noise down to a **record low of 48dB (A)**.



TOP-LOADING WASHING MACHINES 6.5KG



BT653HQE

- 1300rpm/min
- A+++ -10%
- Delayed start 24h
- LCD display
- Remaining time display
- Silence 48dB(A)
- Intellect: Easy start and Opti4
- Induction motor
- Programmes: OptiA 39min, Flash 25min, Cotton/Towels, Cotton Eco, Cotton Prewash, Synthetics, Delicates, Sport, Jeans, Shirts, Baby
- Options: Sensitive skin, Easy iron, Soiling level, Dark colors
- Posistop - Sesam - Wheels
- 48/74dB(A)
- 147 kWh/year - 9,115 litres/year




+++ -10%
wA+++
silence

“ This model is equipped with an induction motor, which significantly reduces power consumption and to obtain A+++ -10%. This motor, combined with improved drum-immersion and sound-proofing in the body, cuts noise down to a record low of 48dB(A).

Quietness guaranteed. ”

easy start



YOUR REGULAR WASHES AT YOUR FINGERTIPS

The Intellect top-loading washing machine records all your settings at each cycle and permanently updates all the data. **As soon as it is switched on, your machine will automatically suggest** your favourite programme from among the last eight cycles you have launched.



The programme
that is most
often used (cotton,
synthetics, Jeans,
Sports etc.).



The temperature
that is most
frequently used for
this programme.



**The last
spin speed**
selected.



**The last
options**
selected*.

*Depending on the model.

TOP-LOADING WASHING MACHINES 6.5KG




BT653ME

- 1300rpm/min
- A+++
- Delayed start 24h
- LCD display
- Remaining time display
- Intellect: Easy start and Opti4
- Programmes: OptiA 39min, Flash 25min, Cotton/Towels, Cotton Eco, Cotton Prewash, Synthetics, Delicates, Sport, Jeans, Shirts, Baby
- Options: Sensitive skin, Easy iron, Soiling level, Dark colors
- Posistop - Sesam - Wheels
- 58/79dB(A)
- 164 kWh/year - 9,115 litres/year



opti⁴

THE BEST POSSIBLE WASH THANKS TO FOUR OPTIMISED PARAMETERS



THE TYPE OF FIBRE

From the intense cotton cycle to the gentle delicates cycle, each type of fibre is handled with the appropriate care.



THE QUANTITY OF LAUNDRY

Whether you have a full or a small load, consumption will always be optimised to ensure a wash at the lowest cost.



THE LEVEL OF SOILING

Ranging from very to lightly soiled laundry, your washing machine will adapt the length of its cycle to achieve immaculate results.



Brandt
Patent

WATER HARDNESS*

Whether you live in a soft or hard water area, your washing machine adapts its rinse and wash cycles to ensure a perfect result.



The Intellect washing machine adapts water and electricity consumption, and the length of the cycle, to obtain a washing result that is always perfect.

TOP-LOADING WASHING MACHINES 6.5KG



BT650ME

- 1000rpm/min
- A+++
- Delayed start 24h
- LCD display
- Remaining time display
- Intellect: Easy start and Opti4
- Programmes: OptiA 39min, Flash 25min, Cotton/Towels, Cotton Eco, Cotton Prewash, Synthetics, Delicates, Sport, Jeans, Shirts, Baby
- Options: Sensitive skin, Easy iron, Soiling level, Dark colors
- Posistop - Wheels
- 58/78dB(A)
- 164 kWh/year - 9,115 litres/year




The unique design of the 42-litre drum provides easy access to the laundry. It also optimises the water flow on the fibres for the best possible washing and rinsing results, even with a full load.

TOP-LOADING WASHING MACHINES 6KG



BT602LE

- 1200rpm/min
- A+++ -10%
- Delayed start 12h
- Touch control and LED display
- Intellect: Easy start and Opti4
- Programmes: OptiA 39min, Flash 25min, Cotton/Towels, Cotton Eco, Cotton Prewash, Synthetics, Delicates, Shirts
- Options: Sensitive skin, Easy iron, Soiling level
- Posistop - Wheels
- 58/79dB(A)
- 137 kWh/year - 8,720 litres/year



A BROAD RANGE OF PROGRAMMES

MAKE YOUR LIFE EASIER...

■ **OptiA 39 minutes** washes a normal load of laundry at 40°C in only 39 minutes, all the while guaranteeing class A washing.

■ **Flash 25 minutes** the best quick programme to wash an average load of lightly soiled laundry, at 30°C, in 25 minutes.



Delicates takes care of fragile fibres with a very soft wash and a gentle pendulum movement of the drum.

Shirts is the programme specially for washing six averagely soiled shirts, at 40°C, in 37 minutes.

Baby guarantees an impeccable wash at 60°C, with boosted mechanical action and an in-depth rinse.



Sport is the wash cycle designed to maintain the technical characteristics of sportswear.

Jeans is a programme specially designed for dark and thick fibres, which by nature require specific treatment.


(Depending on the model)

TOP-LOADING WASHING MACHINES 6KG



BT600LE

- 1000rpm/min
- A+++10%
- Delayed start 12h
- Touch control and LED display
- Intellect: Easy start and Opti4
- Programmes: OptiA 39min, Flash 25min, Cotton/Towels, Cotton Eco, Cotton Prewash, Synthetics, Delicates, Shirts.
- Options: Sensitive skin, Easy iron, Soiling level
- Posistop - Wheels
- 58/78dB(A)
- 137 kWh/year - 8,720 litres/year




POSISTOP AND SESAM OPENING

With this system, the drum stops automatically with its opening facing upwards when the cycle ends. For more comfort, the simple press of a finger on the hatch will open the drum.

BT608LE

- 800rpm/min
- A+++10%
- Delayed start 12h
- Touch control and LED display
- Intellect: Easy start and Opti4
- Programmes: OptiA 39min, Flash 25min, Cotton/Towels, Cotton Eco, Cotton Prewash, Synthetics, Delicates, Shirts.
- Options: Sensitive skin, Easy iron, Soiling level
- Posistop - Wheels
- 57/76dB(A)
- 137 kWh/year - 8,720 litres/year




TOP-LOADING WASHING MACHINES 5.5KG



BT550BE

- 1000rpm/min
- A+++
- Delayed start 12h
- Touch control and LED display
- Intellect: Easy start and Opti4
- Programmes: OptiA 39min, Flash 25min, Cotton/Towels, Cotton Eco, Cotton Prewash, Synthetics, Delicates, Shirts
- Options: Sensitive skin, Easy iron, Soiling level
- Posistop - Wheels
- 57/78dB(A)
- 142 kWh/year - 8,390 litres/year



THE BEST OPTIONS FOR YOUR LAUNDRY



Sensitive skin offers an additional rinse cycle to remove any detergent residue.



Easy iron reduces the formation of hard creases.



Soiling level adapts speed, time and water quantity depending the level of soiling indicated at the programme start-up.



Dark colours avoids the bleeding of dark colours and the appearance of white marks on the laundry.


(Depending on the model)

TOP-LOADING WASHING MACHINES 5.5KG



BT558BE

- 800rpm/min
- A+++
- Delayed start 12h
- Touch control and LED display
- Intellect: Easy start and Opti4
- Programmes: OptiA 39min, Flash 25min, Cotton/Towels, Cotton Eco, Cotton Prewash, Synthetics, Delicates, Shirts.
- Options: Sensitive skin, Easy iron, Soiling level
- 57/76dB(A)
- 142 kWh/year - 8,390 litres/year



“intellect

More useful and practical than ever before. ”

FRONT-LOADING WASHING MACHINES



NEW TECHNOLOGY ALLOWING AN OPTIMAL WASHING EFFICIENCY

IN ORDER TO MEET EVERYONE NEEDS,

our washing machines **5-10kg and 12kg** have wide drums of **50, 60, 64, 70 and 76 litres** to wash clothes without overloading.

TO SAVE TIME,

a spin speed that can reach up to **1600 tr/min** for the 10kg appliance.



FOR OPTIMIZED LOADING COMFORT,

a large drum has a 180° opening system as well as a 32cm diameter access to facilitate loading and unloading washing machine.

WA+++less “All our front loading washing machines have the highest rating in terms of energy labeling. With a A+++ class, they are 20% more economical than appliances with A+ class.”

NEW TECHNOLOGY

AquaBoost

The AquaBoost3 Brandt technology combines ergonomics and brewing system to strengthen the washing efficiency whatever programme used.



WELL-STUDIED SYSTEM

3 blades of sinusoidal shapes and integrated into the drum simultaneously project **48 water jets** which thus penetrate the heart of the laundry.

THE WASHING EFFICIENCY IS STRENGTHENED AND TEXTILE PRESERVED!

THE FUNCTION TO THE DAILY SERVICE



DIFFERENT PANELS TO SATISFY EACH CONSUMER

The ergonomic and aesthetic unique selector let you choose easily (in one move) the washing programme needed. Different digital screens: wide, easy or smart, bringing simplicity, reliability programming and delivering precise feedback.



AN INGENIOUS DISPENSER

Removable by a simple finger pressure and allows easy and efficient cleaning on tap. Its **retractable flap** allows a better management of delayed starts releasing liquid detergent when needed.

FRONT-LOADING WASHING MACHINE 12KG



BWF524DWE

W^{A+++}ttless -30%

- 1 to 12kg
- 1400 rpm/min
- A+++ -30% class
- Silence Drive system
- Aquaboot 3 technology
- OptiTime
- Delayed start up to 24h
- Large LCD display
- Automatic variable capacity
- Remaining time display
- Multiprogramme: Cotton, Memo, OptiA 45min, Flash 21min,
- Dark Clothes, Spin drying, Rinse spin drying, Sport, Cotton Eco, Synthetics, Wool-Delicate, Handwash, Shirts, Sheets/Towels, Baby clothes, Down
- Options per buttons: Easy ironing, Rinse plus, OptiTime
- Stainless steel drum 76 litres
- White and Chrome door
- Consumption: 14 000l/year
- Dimensions (H x W x D cm): 85 x 59.5 x 56.5

SILENCE Drive system

Silence Drive System engine is stronger, more efficient and quieter - 54dB(A). This engine can significantly reduce energy consumption: 35W instead of 65W for a standard engine.



OptiTime

Thanks to this function, you can save up to 50% in washing time saved and 15 liters in water.

OptiTime technology takes into account the level of dirtiness, and perfectly adapts the cycle time, the number of rinse cycles, and the spin time to the loading capacity.

FRONT-LOADING WASHING MACHINES 10KG AND 9KG



BWF506DWE

WA+++ -30%
Attless

- 1 to 10kg
- 1600 rpm/min
- A+++ -30% class
- Silence Drive system
- Aquaboost 3 technology
- OptiTime
- Delayed start up to 24h
- Large LCD display
- Automatic variable capacity
- Remaining time display
- Multiprogramme: Cotton, Memo, OptiA 45min, Flash 21min,
- Dark Clothes, Spin drying, Rinse spin drying, Sport, Cotton Eco, Synthetics, Wool-Delicate, Handwash, Shirts, Sheets/Towels, Baby clothes, Down
- Options per buttons: Easy ironing, Rinse plus, OptiTime
- Stainless steel drum 70 litres
- White and Chrome door
- Consumption: 13 000l/year
- Dimensions (H x W x D cm): 85 x 60 x 56.5

BWF594DWE

WA+++ -10%
Attless

- 1 to 9kg
- 1400 rpm/min
- A+++ -10% class
- Silence Drive system
- Aquaboost 3 technology
- OptiTime
- Delayed start up to 24h
- Large LCD display
- Automatic variable capacity
- Remaining time display
- Multiprogramme: Cotton, Memo, OptiA 45min, Flash 21min, Rinse spin drying, Sport, Cotton Eco, Synthetics, Wool-Delicate, Handwash, Shirts, Sheets/Towels, Baby clothes, Down
- Options per buttons: Easy ironing, Rinse plus, OptiTime
- Stainless steel drum 64 litres
- Chrome door
- Consumption: 11 800l/year
- Dimensions (H x W x D cm): 85 x 60 x 56.5



FRONT-LOADING WASHING MACHINES 8KG



BWF584CWE

WA+++less

- 1 to 8kg
- 1400 rpm/min
- A+++ class
- Aquaboost 3 technology
- OptiTime
- Delayed start up to 24h
- Large LCD display
- Automatic variable capacity
- Remaining time display
- Multiprogramme: Cotton, Memo, OptiA 45min, Flash 21min, Dark Clothes, Spin drying, Rinse spin drying, Sport, Cotton Eco, Synthetics, Wool-Delicate, Handwash, Shirts, Sheets/Towels, Baby clothes, Down
- Options per buttons: Easy ironing, Rinse plus, OptiTime
- Stainless steel drum 60 litres
- Chrome door
- Consumption: 10 500l/year
- Dimensions (H x W x D cm): 85 x 60 x 56.5

BWF814CWE

WA+++less

- 1 to 8kg
- 1400 rpm/min
- A+++ class
- Aquaboost 3 technology
- Delayed start up to 24h
- LCD display
- Automatic variable capacity
- Remaining time display
- Multiprogramme: Cotton, Memo, Flash 21min, OptiA 60°, Spin drying, Rinse spin drying, Shirt, Synthetics, Handwash, Sport, Sheets/Towel, Wool-Delicate
- Options per buttons: Prewash, Intensive, Soak, Not dirty, Rinse plus, Rinse hold
- Stainless steel drum 60 litres
- Chrome door
- Consumption: 10 500l/year
- Dimensions (H x W x D cm): 85 x 60 x 56.5



FRONT-LOADING WASHING MACHINES 8KG



BWF48TCW

FRENCH PANEL

WA+++less

- 1 to 8kg
- 1400 rpm/min
- A+++ class
- Silence Drive system
- Aquaboo3 technology
- Delayed start up to 24h
- LCD display
- Automatic variable capacity
- Remaining time display
- Multiprogramme: Cotton, Memo, Synthetics, Wool-Delicate,
- Handwash, Shirts, Sheets/Towels, Baby clothes, Sport, Flash 21min, Spin-drying, Rinse/Spin-drying
- Options per buttons: Prewash, Intensive, Soak, Not dirty, Rinse plus, Rinse hold
- Stainless steel drum 60 litres
- Chrome door
- Consumption: 10 500L/year
- Dimensions (H x W x D cm) : 85 x 60 x 56.5

TAILOR-MADE PROGRAMMES



■ SHIRTS

While allowing to minimize the crumpling of textiles, your five shirts will be own quickly.

■ SHEETS AND TOWELS

A washing recipe made to preserve the bulking and softness of these heavy fibers.

■ BABY

Guarantees an impeccable wash at 60°C, with boosted mechanical action and an in-depth rinse.

■ MEMO

To automatically store your most used programming (textile, temperature, spin speed) by a simple 3 seconds pressure on the "spin" button.

■ FLASH 21min

Ideal for wash, rinse and spin, 2 to 3 little dirty textiles in only 21 minutes.

■ SPORT

A washing recipe specially designed to maintain the technical characteristics and guarantee a perfect hygiene for your sportswear.

FRONT-LOADING WASHING MACHINES 8KG



BWF582WWE

WA+++less

- 1 to 8kg
- 1200 rpm/min
- A+++ class
- Aquaboost 3 technology
- Delayed start up to 24h
- Large LCD display
- Automatic variable capacity
- Remaining time display
- Multiprogramme: Cotton, Memo, OptiA 45min, Flash 21min, Dark Clothes, Spin drying, Rinse spin drying, Sport, Cotton Eco, Synthetics, Wool-Delicate, Handwash, Shirts, Sheets/Towels, Baby clothes, Down
- Options per buttons: Easy ironing, Rinse plus, OptiTime
- Stainless steel drum 60 litres
- White door
- Consumption: 10 500l/year
- Dimensions (H x W x D cm): 85 x 60 x 56.5

“The programme “Dark Clothes” is a wash recipe that preserves the brilliance and intensity of dark clothes with a suitable mixing and temperature. Avoids the bleeding of dark colours and the appearance of white marks on the laundry.”



AUTOMATIC VARIABLE CONSUMPTION

All Brandt washing-machines adapt their consumption of electricity and water according to the load, so you do not need to wait to fill the washing machine up to clean your clothes efficiently.

Brandt
thinks of you

FRONT-LOADING WASHING MACHINES 7KG



BWF574WWE

WA+++less

- 1 to 7kg
- 1400 rpm/min
- A+++ class
- Aquaboost 3 technology
- Delayed start: 3/6/9h
- Large LCD display
- Automatic variable capacity
- Remaining time display
- Multiprogramme: Cotton, Memo, OptiA 45min, Flash 21min, Dark Clothes, Spin drying, Rinse spin drying, Sport, Cotton Eco, Synthetics, Wool-Delicate, Handwash, Shirts, Sheets/Towels, Baby clothes, Down
- Options per buttons: Easy ironing, Rinse plus, OptiTime
- Stainless steel drum 50 litres
- White door
- Consumption: 9 300l/year
- Dimensions (H x W x D cm): 85 x 60 x 56.5

BWF714SWE

WA+++less

- 1 to 7kg
- 1400 rpm/min
- A+++ class
- Aquaboost 3 technology
- Delayed start up to 24h
- LCD display
- Automatic variable capacity
- Remaining time display
- Multiprogramme: Cotton, Memo, Flash 21min, OptiA 60°, Spin drying, Rinse spin drying, Shirt, Synthetics, Handwash, Sport, Sheets/Towel, Wool-Delicate
- Options per buttons: Prewash, Intensive, Soak, Not dirty, Rinse plus, Rinse hold
- Stainless steel drum 50 litres
- Silver door
- Consumption: 10 000l/year
- Dimensions (H x W x D cm): 85 x 60 x 49.5



FRONT-LOADING WASHING MACHINES 7KG



BWF47TWW

FRENCH PANEL

WA⁺⁺⁺less

- 1 to 7kg
- 1400 rpm/min
- A+++ class
- Aquaboo 3 technology
- Delayed start up to 24h
- LCD display
- Automatic variable capacity
- Remaining time display
- Multiprogramme: Cotton, Memo, Flash 21min, Baby Clothes, Spin drying, Rinse spin drying, Shirts, Synthetics, Handwash, Sport, Sheets/Towels, Wool-Delicate
- Options per buttons: Prewash, Intensive, Soak, Not dirty, Rinse plus, Rinse hold
- Stainless steel drum 50 litres
- White door
- Consumption: 10 000l/year
- Dimensions (H x W x D cm): 85 x 60 x 49.5

BWF7120E

- 1 to 7kg
- 1200 rpm/min
- A+ class
- LCD display
- Automatic variable capacity
- Multiprogramme: Cotton, Synthetics, Wool, Delicates, Quick, Cotton ECO, Spinning, Drum clean
- Stainless steel drum 50 litres
- White door
- Consumption: 9 240l/year
- Dimensions (H x W x D cm): 85 x 60 x 49.5



FRONT-LOADING WASHING MACHINES 6KG



BWF612WWE

WA+++less

- 1 to 6kg
- 1200 rpm/min
- A+++ class
- Aquaboo3 technology
- Delayed start up to 24h
- LCD display
- Automatic variable capacity
- Remaining time display
- Multiprogramme: Cotton, Memo, Flash 21min, OptiA 60°, Spin drying, Rinse spin drying, Shirt, Synthetics, Handwash, Sport, Sheets/Towel, Wool-Delicate
- Options per buttons: Prewash, Intensive, Soak, Not dirty, Rinse plus, Rinse hold
- Stainless steel drum 50 litres
- White door
- Consumption: 10 000l/year
- Dimensions (H x W x D cm): 85 x 60 x 49.5

BWF6100E

- 1 to 6kg
- 1000 rpm/min
- A+ class
- LCD display
- Automatic variable capacity
- Multiprogramme: Cotton, Synthetics, Wool, Delicates, Quick, Cotton ECO, Spinning, Drum clean
- Stainless steel drum 50 litres
- White door
- Consumption: 9 240l/year
- Dimensions (H x W x D cm): 85 x 60 x 49.5



FRONT-LOADING WASHING MACHINES 5KG



BWF5100E

- 1 to 5kg
- 1000 rpm/min
- A+ class
- LCD display
- Automatic variable capacity
- Multiprogramme: Cotton, Synthetics, Wool, Delicates, Quick, Cotton ECO, Spinning, Drum clean
- Stainless steel drum 50 litres
- White door
- Consumption: 8 250l/year
- Dimensions (H x W x D cm): 85 x 60 x 49.5

BWF5080E

- 1 to 5kg
- 1000 rpm/min
- A+ class
- LCD display
- Automatic variable capacity
- Multiprogramme: Cotton, Synthetics, Wool, Delicates, Quick, Cotton ECO, Spinning, Drum clean
- Stainless steel drum 50 litres
- White door
- Consumption: 8 250l/year
- Dimensions (H x W x D cm): 85 x 60 x 49.5



FRONT-LOADING TUMBLE DRYER 8KG



BWD58H2WE

WA⁺⁺ttless

- 1 to 8kg
- Heat pump
- Condenser
- Electronic programming by resistivity
- A++ class
- Delayed start up to 24h
- Stainless steel drum 105 litres
- Large LCD display
- Automatic selection of drying time
- Remaining time
- Multiprogramme: Cotton (Extra, Standard, Iron), Delicate, Synthetics (Extra, Standard, Iron), Wool, Timer (Warm, Cool, Refresh), Special programs (Jeans, Mix, Sports, Shirts)
- Options per buttons: Child lock, Drying level, Anti-crease
- Complementary drying
- End of cycle buzzer
- Direct access anti-fluff filter

HEAT PUMP

NEW TECHNOLOGY

■ Brandt front-loading tumble dryers innovate and become more efficient and economical.

The tumble dryer with heat pump is like a condensation tumble dryer, but there is not resistor heating. The system recovers energy extracted when the humidity of the laundry is condensed, and uses this energy to heat the dry air which is returned to the tumble dryer.

■ Functioning

The operation is done in a closed circuit. Instead of “wasting” the energy of the hot air and return it to the outside, this energy is used to heat the air after drying, with the help of a compressor. The latter has a much lower than the heating elements power consumption, because the performance of the heat pump is very good.

The system consists of a compressor and heat exchangers. In addition, heating the air to a lower temperature (usually around 60°C instead of 80°C), a dryer heat pump best respects the machine. Precision, after running the dryer, compressor operation, or the sound of flowing liquid, may be somewhat louder. This is not a sign of malfunction and it will not affect useful life of the appliance. In time, dryer operation and this noise will become more quiet.



DISHWASHERS



A RANGE THAT SUITS ALL NEEDS

MODELS TO MATCH YOUR DESIRES



Available in compact **or 60cm**, with capacities from 6 to 15 place-settings. These new dishwashers are designed to meet all your expectations, offering modularity and performances.

ELEGANT, PRECISE AND RELIABLE

Thanks to their **large screen with sensitive touch control**, set with chrome, new dishwashers programming becomes a pleasure and an easy task. The functions offered are clearly indicated (wash programme, temperature, delayed start...) to gain speed and efficiency.



DISHWASHER WITH INDUCTION ENGINE: MAXIMUM PERFORMANCES



TOTAL SILENCE

The Silence Drive System engine is **stronger, more efficient and more silent** - 42dB(A). This technology significantly reduces energy consumption. 35W instead of 65W for appliances with a conventional engine.



WASHING SPACE DESIGNED FOR 15 PLACE-SETTINGS

The new dishwasher DFH15532W offers an important capacity of **15 settings**, with a standard size of **60cm**. Three adjustable baskets, with one for cutlery, are included in the interior layout, which is optimal comfort for use.

OPTIMAL COMFORT AND EFFICIENCY

TOTAL MODULARITY OF BASKETS

Our dishwashers of **15 or 13 place-settings** have an **adjustable height upper basket** and **fold-on rack baskets**. They have also handles specially designed for easy grip.



CUTLERY SPACE: AN INGENIOUS THIRD BASKET

Located on the upper part, it offers an easy access. Ergonomic and adjustable. **It frees up space** to place stemmed glass in the upper basket.



W^{A+++}ttless FOR ENERGY SAVINGS

All dishwashers 60cm offer an excellent Energy Labelling note. **Models classed A+++ are 20% more economical** than dishwashers classed A+.

DISHWASHERS 60CM 15 PLACE-SETTINGS



DFH15532W WHITE

WA+++less

- 15 place-settings
- 42dB(A)
- A+++ Class
- Silence Drive System (induction motor)
- Leds and digits display
- Delayed start 24h
- 3rd basket Espace cutlery
- Powerjet
- Remaining time display
- 7 programmes: Powerjet, OptiA 60min, Normal, Auto, Eco, Fragile and Soaking
- Function 4 in 1
- Adjustable upper basket in loaded
- Adjustable lower basket
- Salt and rinsing warning lights
- Filter tank bottom in stainless steel
- Aquasafe safety
- Consumption: 2 800 l/year

SILENCE
Drive system

MAXIMUM PERFORMANCE!

Dishwasher more resistant, more efficient

and more silent - 42dB(A) - and economical.”

3rd basket “Cutlery Espace”

AN EASY ACCESS SPACE FOR CUTLERY, OPTIMIZED WASHING!



DISHWASHERS 60CM 14 PLACE-SETTINGS



DFH14102W WHITE

WA+++

- 14 place-settings
- 42dB(A)
- A+++ Class
- LCD display
- Delayed start 24h
- 3rd basket Espace cutlery
- Remaining time display
- 9 programmes: Normal, Auto, Intensive, Eco, Glasses, 60min, Rapid and Soaking
- Function 4 in 1
- Adjustable upper basket in loaded
- Adjustable lower basket
- Salt and rinsing warning lights
- Filter tank bottom in stainless steel
- Aquasafe safety
- Consumption: 2 800 l/year



DFH14104X STAINLESS STEEL **WA+++**

- 14 place-settings
- 44dB(A)
- A+++ Class
- LCD display
- Delayed start 24h
- 3rd basket Espace cutlery
- Remaining time display
- 9 programmes: Normal, Auto, Intensive, Eco, Glasses, 60min, Rapid and Soaking
- Function 4 in 1
- Adjustable upper basket in loaded
- Adjustable lower basket
- Salt and rinsing warning lights
- Filter tank bottom in stainless steel
- Aquasafe safety
- Consumption: 2 800 l/year



Available model
WHITE / DFH14104W



DISHWASHERS 60CM 13 PLACE-SETTINGS



DFH13532W WHITE

WA+++less

- 13 place-settings
- 42dB(A)
- A+++ Class
- Silence Drive System (induction motor)
- Leds and digits display
- Delayed start 24h
- Powerjet
- Remaining time display
- 7 programmes: Powerjet, OptiA 60min, Normal, Auto, Eco, Fragile and Soaking
- Function 4 in 1
- Adjustable upper basket in loaded
- Adjustable lower basket
- Salt and rinsing warning lights
- Filter tank bottom in stainless steel
- Aquasafe safety
- Consumption: 2 800 l/year



A variety of custom-made programmes

POWERJET

By combining a high temperature washing and a power 80% higher than a conventional dishwasher, this exclusive programme dedicated to wash the **dirtiest pans or dishes** shows an never before achieved efficiency.

OPTIA 60 MINUTES - 60°C

This unique programme guarantees the highest efficiency of washing and drying for a daily load in **just one hour**.

NORMAL

Suitable for a load of dishes with average soil, it rids dishes of greasy residues with a prewash at 45°C, washing at 55°C and 2 rinses (the last at 65°C)



AUTO

At 45-55°C, it **automatically detects** the degree of soiling and optimizes the results while saving electricity.

ECO

This programme, the most economical in terms of water and electricity consumption, combines a prewash, a wash at 50°C and 2 rinses (the last at 60°C), and adapts to normally soiled dishes.

FRAGILE

This wash cycle at 40°C is recommended for **delicate dishes and glasses**.

SOAKING

This very short cycle is for rinsing and re-moistening dishes before the wash scheduled the following day

DISHWASHERS 60CM 13 PLACE-SETTINGS

DFH13534X

STAINLESS STEEL

WA⁺⁺⁺ttless

- 13 place-settings
- 44dB(A)
- A+++ Class
- Leds and digits display
- Delayed start 24h
- Powerjet
- Remaining time display
- 7 programmes: Powerjet, OptiA 60min, Normal, Auto, Eco, Fragile and Soaking
- Function 4 in 1
- Adjustable upper basket in loaded
- Adjustable lower basket
- Adjustable cutlery basket
- Salt and rinsing warning lights
- Aquasafe safety
- Consumption: 2 800 l/year




Available model
WHITE / DFH13534W



“ DELAYED START FUNCTION

Programme the start of washing cycle when you want; the end-time or remaining time displays on screen. ”

DISHWASHERS 60CM 13 PLACE-SETTINGS



DFH13524B BLACK

- 13 place-settings
- 44dB(A)
- A++ Class
- Leds and digits display
- Delayed start 24h
- Powerjet
- Remaining time display
- 7 programmes: Powerjet, OptiA 60min, Normal, Auto, Eco, Fragile and Soaking
- Function 4 in 1
- Adjustable upper basket in loaded
- Adjustable lower basket
- Adjustable cutlery basket
- Salt and rinsing warning lights
- Filter tank bottom in stainless steel
- Aquasafe safety
- Consumption: 2 800 l/year

Available models
STAINLESS STEEL / DFH13524X
WHITE / DFH13524W



Adjustable upper basket

TO FACILITATE THE DISHES EVERY DAY AND THAT OF THE GREAT DAYS!

The upper basket is also height adjustable for greater modularity.

- Loading large, bulky plates in the lower portion of the dishwasher requires raising the upper basket to the high position.
- All you have to do is carefully lift each side until engagement (depending on model).



LOW POSITION



HIGH POSITION

DISHWASHERS 60CM 13 PLACE-SETTINGS



DFH13526X

STAINLESS STEEL

- 13 place-settings
- 46dB(A)
- A++ Class
- LED display
- Delayed start 3/6/9/12h
- Powerjet
- 7 programmes: Powerjet, OptiA 60min, Normal, Auto, Eco, Fragile and Soaking
- Function 4 in 1
- Adjustable upper basket in loaded
- Adjustable lower basket
- Adjustable cutlery basket
- Salt and rinsing warning lights
- Filter tank bottom in stainless steel
- Aquasafe safety
- Consumption: 2 800 l/year

Available models

BLACK / DFH13526B

WHITE / DFH13526W



DISHWASHERS 60CM 13 AND 12 PLACE-SETTINGS



DFH13117W

WHITE

- 13 place-settings
- 47dB(A)
- A++ Class
- LED display
- Delayed start 3/6/9/12h
- 6 programmes: Intensive, Normal, Eco, Glasses, 90min, Rapid
- Function 4 in 1
- Adjustable upper basket in loaded
- Adjustable lower basket
- Adjustable cutlery basket
- Salt and rinsing warning lights
- Filter tank bottom in stainless steel
- Aquasafe safety
- Consumption: 3 080 l/year

Available model

STAINLESS STEEL / DFH13117X



DFH12127W

WHITE

- 12 place-settings
- 47dB(A)
- A+ Class
- Leds and digits display
- Delayed start 24h
- 6 programmes: Intensive, Daily, Eco, 60min, Glasses, Rapid
- Function 3 in 1
- Adjustable upper basket in loaded
- Adjustable lower basket
- Salt and rinsing warning lights
- Filter tank bottom in stainless steel
- Aquasafe safety
- Consumption: 3 360 l/year



DISHWASHERS COMPACT 6 PLACE-SETTINGS



DFC6519W

WHITE

- 6 place-settings
- 49dB(A)
- A+ Class
- Leds and digits display
- Delayed start 24h
- Remaining time display
- 7 programmes: Intensive, Normal, Auto, Eco, 90min and Soaking
- Function 4 in 1
- Adjustable cutlery basket
- Salt and rinsing warning lights
- Filter tank bottom in stainless steel
- Consumption: 1 820 l/year

Available models

SILVER / DFC6519S



Efficiency programme

INTENSIVE

Designed for washing dishes, **dishes and pans very dirty**, this programme provides for a pre-wash at 50°C, washing and 3 rinses (whose the last at 65°C).
Ideal to blast off embedded soiling



COOLING

Brandt



A RANGE THAT SUITS ALL NEEDS


QUALITY FOOD PRESERVATION

Super cooling or Super freezing allow you to fully control the temperature of your food that requires quick bringing to temperature.

The Holiday function guarantees you preservation of refrigerator's contents while you are away.

AN ELEGANT DESIGN

All our Brandt devices are designed with equal performance research, functionality and elegance. The new models are distinguished themselves by their uncluttered exterior design without apparent panel and rich colors offered in white, stainless steel, silver.



PERFORMANCE AT THE SERVICE OF THE ECONOMY

NO FROST MULTI FLOW: FOR COMPLETE CONTROL OF COLD

Cold, dry air, constantly fanned by column, allows the temperature to spread evenly, preventing ice formation.

NO FROST technology not only optimizes food storage, but also lower electric bills!



TURBO'AIR

FAN COOLING FOR CONVERSION 2 TIMES LONGER

A fan system in the refrigerator section to obtain a **better homogeneity of the interior temperature** and to avoid condensation on the glass shelves.



WA⁺⁺ttless FOR A REDUCED ENERGY CONSUMPTION

All our refrigerators and freezers have a high quality in terms of Energy labelling. **New models A++ class** are 25% more economical than appliances of A+ class.

THE COMBINATION OF EFFICIENCY AND COMFORT



LCD SCREEN, FOR A HIGH DEGREE OF ACCURACY

In the front, the electronic management of the cold allows to regulate accurate the indoor temperature. This screen for greatest ease of use of functions and alarms available.

A LED TECHNOLOGY FOR AN INTENSELY COLD EXPERIENCE

LED technology consumes less electricity, generates less heat and lasts up to 25 times longer than traditional lighting.



REFRIGERATORS FRIDGE FREEZER 60CM



BFC504YNX

STAINLESS STEEL

WA⁺⁺ttless

- 350 litres
- A++ Class
- Total No Frost
- LCD display in front
- LED lighting

- Climatic class SN-T
- Consumption: 270 kWh/year
- Dimensions (H x W x D cm):
201 x 59.5 x 68.3

Fridge 258L

- No Frost
- Functions: Super cooling/
Holidays
- 1 compartment MultiFresh
(-2/+3°C)
- 3 glass shelves
- 1 vegetable drawer
- 1 balcony with flap
- 1 balcony bottles
- 2 egg trays
- 1 folding bottles holder under shelf

Freezer 4* 92L

- No Frost
- Function: Super freezing
- 3 drawers
- Rising time 15h
- Freezing capacity 12kg/24h



Available model
WHITE / BFC504YNW



SN-T


COMPLETE PEACE AND TRANQUILLITY

Climate class: safe "food savings"!

■ Your refrigerators and freezers are responsible for your food's freshness before consumption. The climate class indicates the temperature ranges defined for the proper operating of its refrigeration system.

Above or below the range, the appliance's performance is affected: if the temperature is too low, the motor may stop. Above the maximum temperature indicated, the appliance may run continuously without guaranteeing the results.

The SN-T class has widest range on the market: its ambient temperature range can fluctuate from +10°C to +43°C!



RECORD CLIMATE CLASS
SN-T*

*for optimal operation in an ambient temperature ranging from 10 to 43°C.

REFRIGERATORS FRIDGE FREEZER 60CM



BFC584YNX

STAINLESS STEEL

WA⁺⁺ttless

- 324 litres
- A++ Class
- Total No Frost
- LCD display in front
- LED lighting

- Climatic class SN-T
- Consumption: 270 kWh/year
- Dimensions (H x W x D cm): 185 x 59.5 x 68.3

Fridge 232L

- No Frost
- Functions: Super cooling/Holidays
- 1 compartment MultiFresh (-2/+3°C)
- 2 glass shelves
- 1 vegetable drawer
- 1 balcony with flap
- 1 balcony bottles
- 2 egg trays
- 1 folding bottles holder under shelf

Freezer 4* 92L

- No Frost
- Function: Super freezing
- 3 drawers
- Rising time 15h
- Freezing capacity 12kg/24h

Available model

WHITE / BFC504YNW



BFC582LNX

STAINLESS STEEL

- 326 litres
- A+ Class
- Total No Frost
- LED display
- LED lighting

- Climatic class SN-T
- Consumption: 312 kWh/year
- Dimensions (H X W X D cm): 185 x 59.5 x 68.3

Fridge 233L

- No Frost
- Functions: Super cooling/Holidays
- 3 glass shelves
- 1 vegetable drawer
- 1 balcony with flap
- 1 balcony bottles
- 2 egg trays

Freezer 4* 93L

- No Frost
- Function: Super freezing
- 3 drawers
- Rising time 16h
- Freezing capacity 12kg/24h

Available model

WHITE / BFC582LNW



REFRIGERATORS

FRIDGE FREEZER 55CM



BFC355SW

WHITE

- 246 litres
- A+ Class
- LED lighting
- Integrated handles

Fridge 178L

- LED interior lighting
- 2 glass shelves
- 1 vegetable drawer
- 3 strengthened balconies and 2 egg trays

- Climate class N-ST
- Consumption: 242kWh/year
- Dimensions (H x W x D cm): 168.7 x 55.4 x 55.1

Freezer 4* 68L

- 3 drawers and 2 ice cube trays
- Rising time 12h
- Freezing capacity 3kg/24h



CLIMATIC CLASS

Brandt refrigerators are designed to work in a optimal way according the room temperature, which can reach until 43°C

CLIMATIC CLASS

SN
N
ST
T
SN-ST
SN-T

ROOM TEMPERATURE

+10°C to 32°C
+16°C to 32°C
+18°C to 38°C
+18°C to 43°C
+10°C to 38°C
+10°C to 43°C



REFRIGERATORS DOUBLE DOOR 60CM



BFD672MNX

STAINLESS STEEL LOOK

- 294 litres
- A+ Class
- Total No Frost
- LED lighting

- Climate class N-T
- Consumption: 277 kWh/year
- Dimensions (H X W X D cm): 176.4 x 59.8 x 64.2

Fridge 237L

- No Frost
- 3 glass shelf
- 1 vegetable drawer
- 2 balconies
- 1 balcony bottles
- 2 egg trays

Freezer 4* 57L

- No Frost
- 1 glass shelf
- Rising time 15h
- Freezing capacity 3 kg/24h

Avialable model

WHITE / BFD672MNX



LED LIGHTING

The LED lighting consumes less power, generates less heat and has a shelf life up to 25 times longer than conventional lighting.

Brandt
thinks of you

REFRIGERATORS DOUBLE DOOR 55CM



BFD5665BS SILVER

- 250 litres
- A++ Class
- Turbo'Air
- Biocare (antibacterial inner liner)
- Climate class ST
- Consumption: 186kWh/year
- Dimensions (H x W x D cm): 166 x 55 x 58

Fridge 198L

- 4 glass shelves
- 1 vegetable drawer
- 3 balconies including 1 with flap
- 1 balcony bottles
- 2 egg trays

Freezer 4* 52L

- 1 shelf and 1 ice cube tray
- Rising time 20h
- Freezing capacity 2.5kg/24h

Available model
WHITE / BFD5665BW

“WA⁺⁺ttless
25% more economical than
a model A+ class.”



BFD5651BW WHITE

- 250 litres
- A+ Class
- Turbo'Air
- Biocare (antibacterial inner liner)
- Climate class N
- Consumption: 222.65kWh/year
- Dimensions (H x W x D cm): 166 x 55 x 58

Fridge 198L

- 4 glass shelves
- 1 vegetable drawer
- 3 balconies including 1 with flap
- 1 balcony bottles
- 2 egg trays

Freezer 4* 52L

- 1 shelf and 1 ice cube tray
- Rising time 6h
- Freezing capacity 2.5kg/24h



REFRIGERATORS DOUBLE DOOR 55CM



BFD6425BW WHITE

- 209 litres
- A+ Class
- AMS
- Biocare (Antibacterial inner liner)

- Climatic class T
- Consumption: 226kWh/year
- Dimensions (H X W X D cm): 143 x 55 x 58

Fridge 168L

- 3 glass shelves
- 1 vegetable drawer
- 3 balconies including 1 with flap
- 1 balcony bottles
- 2 egg trays

Freezer 4* 41L

- 1 ice cube tray
- Rising time 16.5h
- Freezing capacity 2kg/24h



REFRIGERATORS SINGLE DOOR 60CM - LARGER



BFL584YNW WHITE

WA⁺⁺ttless

- 355 litres
- A++ Class
- No Frost
- Functions: Super cooling/Holidays
- Climate class SN-T
- Consumption: 130kWh/year
- Dimensions (H x W x D cm): 185.4 x 59.8 x 61
- 4 glass shelves
- 1 Multifresh compartment
- 1 vegetable drawer on rails
- 1 balcony with flap
- 2 balconies
- 2 balconies bottles
- 2 egg trays

Available model
STAINLESS STEEL / BFL584YNX



BFL5636BX

STAINLESS STEEL

WA⁺⁺ttless

- 308 litres
- A++ Class
- Turbo'Air
- LED lighting
- Climate class N-T
- Consumption: 108kWh/year
- Dimensions (H x W x D cm): 163 x 60 x 65
- 5 glass shelves
- 1 bottle holder under shelf
- 1 vegetable drawer
- 4 balconies including 1 with flap
- 1 balcony bottles with bottle lock
- 1 egg tray

Available model
WHITE / BFL5636BW



REFRIGERATORS SINGLE DOOR 55CM - LARDER AND 4*



BFL2232SW WHITE

- 239 litres
- A+ Class
- Climate class ST
- Consumption: 128kWh/year
- Dimensions (H x W x D cm): 143 x 55 x 58
- 5 glass shelves
- 1 vegetable drawer
- 5 strengthened balconies and 2 egg trays



BFS2222SW WHITE

- 224 litres
- A+ Class
- Climate class ST
- Consumption: 208kWh/year
- Dimensions (H x W x D cm): 143 x 55 x 58

Fridge 209L

- 4 glass shelves
- 1 vegetable drawer
- 5 strengthened balconies and 2 egg trays

Freezer 4* 15L

- 2 ice cube trays
- Rising time 13h
- Freezing capacity 2kg/24h



REFRIGERATORS TABLE TOP 55 CM - LARGER AND 4*



TL13700

WHITE

- 130 litres
- A+ Class
- Inside light
- Removable top
- Automatic defrost
- Climate class N
- Consumption: 115kWh/year
- Dimensions (H x W x D cm): 84.5 x 54.5 x 57
- 3 glass shelves
- 1 vegetable drawer
- 3 strengthened balconies and 2 egg trays



TF12700

WHITE

- 119 litres
- A+ Class
- Removable top
- Automatic defrost
- Climate class N
- Consumption: 170kWh/year
- Dimensions (H x W x D cm): 84.5 x 54.5 x 57

Fridge 104L

- 2 glass shelves
- 1 vegetable drawer
- 3 strengthened balconies and 2 egg trays
- Inside lighting

Freezer 4* 15L

- 2 ice cube trays
- Rising time 8h
- Freezing capacity 2kg/24h



SIDE BY SIDE FREEZER + LARGER SINGLE DOOR



BFU584YNX/BFL584YNX

STAINLESS STEEL

185.5CM IN HEIGHT

JUNCTION KIT IN OPTION

KIT185X/W

Available model

WHITE / BFU584YNW/BFL584YNW

185.4CM IN HEIGHT



SIDE BY SIDE

TWO LARGE COLD ZONES COMPLEMENTARY: FREEZER + LARGER SINGLE DOOR

One offers you a large zone of freezing, the other preserve your food in a useful zone.
Installed side by side, they are one to provide you freshness and utility for the whole family.

FREEZERS UPRIGHT 60CM - NO FROST



BFU584YNX

STAINLESS STEEL

- 255 litres
- A++ Class
- No Frost
- LCD display in front
- Temperature electronic regulation
- Pressure balance system
- Climate class SN-T
- Consumption: 244kWh/year
- Dimensions (H x W x D cm): 185.5 x 59.5 x 66.2
- Functions: Super freezing, Eco
- Visual and sound temperature alarms
- Open door alarm
- 6 drawers including 3 Maxibox
- 1 Twist ice
- 1 small drawer
- Child safety
- Rising time 15h
- Freezing capacity 20kg/24h

Available model


WHITE / BFU584YNW



Brandt think of you

MAXIBOX DRAWER

- This large drawer with a capacity of 41.5 litres let you to tidy the most voluminous food and to optimize the stockage of food whatever their size. Maxibox have lateral handles to carry it easily.



FREEZERS UPRIGHT 60CM - NO FROST AND 55CM - STATIC

BFU662LNX

STAINLESS STEEL

- 201 litres
- A+ Class
- No Frost
- LED display
- Climate class N-T
- Consumption: 266kWh/year
- Dimensions (H x W x D cm): 163 x 62 x 62
- Function : Super freezing
- Visual and sound temperature alarm
- Door open alarm
- 7 drawers including 1 Maxibox
- 1 ice cube tray
- Rising time 18h
- Freezing capacity 15kg/24h

Available model

WHITE / BFU662LNW



BFU4425SW

WHITE

- 161 litres
- A+ Class
- Static
- Digital display
- Climate class T
- Consumption: 223kWh/year
- Dimensions (H x W x D cm): 143 x 55 x 58
- Function: Super freezing
- Visual and sound temperature alarms
- Open door alarm
- 6 drawers
- 1 ice cube tray
- Rising time 16h
- Freezing capacity 13kg/24h



CHEST FREEZERS STATIC



BFK300SW

WHITE

- 300 litres
- A++ Class
- Static
- Opening compensated
- Climate class T
- Consumption: 190kWh/year
- Dimensions (H x W x D cm):
87 x 132 x 73
- Visual temperature alarm
- 2 drawers
- Cover with lock
- Inside lighting
- Rising time 47h
- Freezing capacity 14kg/24h

WHY CHOOSE A BRANDT CHEST FREEZER?

- **For cold control:** Cavity of Brandt freezers is made of aluminium, which is very sturdy and is an excellent conductor of cold. It also ensures optimal hygiene inside the appliance.
- **For storage capacity:** to meet the needs of both large and small families alike, Brandt offers you a wide range of models from the largest capacity (300 litres).
- **For convenient use:** thanks to offset hinges, the opening of the door is easy with no risk because the cover remains blocked in the open position.
- **For safety:** should the power go out, our units will keep your food safely thanks to rising time up to 47 hours.

CHEST FREEZERS STATIC



BFK232SW

WHITE

- 232 litres
- A++ Class
- Static
- Opening compensated
- Climate class T
- Consumption: 166kWh/year
- Dimensions (H x W x D cm):
87 x 109 x 69
- Visual temperature alarm
- 2 drawers
- Cover with lock
- Inside lighting
- Rising time 44h
- Freezing capacity 14kg/24h

BFK172SW

WHITE

- 172 litres
- A++ Class
- Static
- Opening compensated
- Climate class T
- Consumption: 145kWh/year
- Dimensions (H x W x D cm):
87 x 88 x 69
- Visual temperature alarm
- 1 drawer
- Cover with lock
- Inside lighting
- Rising time 48h
- Freezing capacity 14kg/24h



MICROWAVES



AESTHETIC AND FUNCTIONAL PRODUCTS

BRANDT DESIGN

Sleek lines, long vertical stainless steel handle built into the door for excellent gripping, Turn & Press light selector or knobs (on mechanical model), every detail has been worked out so that the designs of Brandt microwave ovens meet the aesthetic requirements of the modern kitchen.



ERGONOMIC NEW HANDLE

Integration of a new rectangular stainless steel handle to own design to the Brandt brand in perfect family line with the built-in range.

QUALITY COOKING

AUTO PROGRAMME A WINNING COMBINATION!

Thanks to its combination of circulating heat, grill and microwaves, your appliance can make all sorts of cooking styles and gives you professional results. With the Autoprogramme function, you can cook easily! Just select the type of food from the 8 or 9 proposed and input the weight: microwave then automatically suggests the appropriate cooking mode and time.

STEAM FOR HEALTHY AND NUTRITIOUS MEALS

Steam preserves a food's colours and taste while preserving their vitamins and minerals. This microwave enables you to cook with steam, thus obtaining the same results that you would with a traditional steam oven.



EFFICIENCY AND SPEED

MEMORY AND SPEED DEFROST FUNCTIONS

With the Memory function, you can also store in memory the 3 dishes you cook most often. The Speed Defrost function allows you to speedily defrost by calculating the right amount of time depending on type and weight of food.

YOUR MICROWAVE OVEN OFFERS DIFFERENT RECIPES:

- Pork/veal/beef: to cook roasts from 400g to 1.2kg.
- Fish: for successful fish or filets, from 150g to 600g.
- Poultry: to cook a whole chicken or chicken pieces from 500g to 1.5kg.
- Vegetables: optimised cooking of vegetables from 200g to 600g.
- Deep-frozen dishes: to reheat from 300g to 1kg.
- Potato: to cook from 200g to 1kg.
- Soup: to reheat from 0.2 litre to 0.6 litre.



MICROWAVES COMBINED



CE3620X

STAINLESS STEEL

- 36 litres
- Combined
- Combined heat
- Circulating heat 1 750W
- Reinforced grill 1 200W
- Stainless steel cavity
- Autoprogramme 9 recipes
- Speed Defrost
- Flap door
- Backlit display
- Timer 95min
- Electronic programmer
- Steam dish in glass
- 3 memories
- Keep warm
- Quick start
- Rotating tray 36cm
- Power 900W

Steam For healthy and nutritious meals

Steam preserves a food's colours and taste while preserving their vitamins and minerals. This microwave enables you to cook with steam, thus obtaining the same results that you would with a traditional steam oven.



Before

After

Press the Steam button to heat the water in the bowl and generate steam which will pass through the dish.

STAINLESS STEEL TRAY: FOR TRUE STEAM COOKING!

Because of its imperviousness to waves, the food is only cooked using the steam produced in the bowl, contrarily to plastic trays which are permeable to waves and thus bring about results which are identical to those found in a traditional microwave. The tray is made up of 3 parts: the glass recipient for the water, the perforated tray for the food and the cover which encases it all.



MICROWAVES COMBINED



CE3610W WHITE

- 36 litres
- Combined
- Combined heat
- Circulating heat 1 750W
- Reinforced grill 1 200W
- Stainless steel cavity
- Autoprogramme 9 recipes
- Speed Defrost
- Flap door
- Backlit display
- Timer 95min
- Electronic programmer
- 3 memories
- Keep warm
- Quick start
- Rotating tray 36cm
- Power 900W

Available model
BLACK / CE3610B



“LARGE CAPACITY

Combined microwaves have a maximum capacity of 36 litres and a turntable of 36cm.”

Brandt combined microwave: Efficiency and speed!

AUTO PROGRAMME 9 RECIPES

Available recipes on a Combined are red meat, white meat, fish, poultry, frozen food, vegetables, pizzas, pies and cakes.

CIRCULATION HEAT 1750W

is distributed with extremely powerful resistance, which heats better and faster.



MICROWAVES COMBINED



CE2646W WHITE

- 26 litres
- Combined
- Combined heat
- Circulating heat 2500W
- Reinforced grill 1100W
- Stainless steel cavity
- Autoprogramme 9 recipes
- Speed Defrost
- New handled
- Mirror front
- Backlit display
- Timer 95min
- Electronic programmer
- 3 memories
- Quick start
- Rotating tray 32cm
- Power 900W

Available models
BLACK / CE2646B
SILVER / CE2646S



“SPEED DEFROST

The appliance determines the amount of time depending on type and weight of food to optimise the defrosting.”

New microwaves brandt: design and functionality



AUTOMATIC OPENING

Automatic door opening by simple contact of the finger!

NEW HANDLE


Integration of a new rectangular stainless steel handle to own design to the Brandt brand in perfect family line with the built-in range.



GE2626S SILVER

- 26 litres
- Quartz grill 1 000W
- Autoprogramme 8 recipes
- Speed Defrost
- Enamelite® Cavity
- New handled
- Mirror front
- Backlit display
- Timer 95min
- Electronic programmer
- 3 memories
- Quick start
- Rotating tray 32cm
- Power 900W

Available models
WHITE / GE2626W
BLACK / GE2626B



“AUTOMATIC OPENING

Automatic door opening by simple contact of the finger!”



STAINLESS STEEL CAVITY

All microwaves in the range have stainless steel cavities. This material is the benchmark for food hygiene. In addition, stainless steel also reflects light, which makes food more visible.”



MICROWAVES SOLO



SE2616S

SILVER

- 26 litres
- Solo
- Autoprogramme 8 recipes
- Speed Defrost
- Enamelite® Cavity
- New handled
- Mirror front
- Backlit display
- Electronic programmer
- 3 memories
- Quick start
- Timer 35min
- Rotating tray 32cm
- Power 900W

Available models

WHITE / SE2616W

BLACK / SE2616B



Enamelite® Enamel

Enamel signed Brandt brings more light into the cavity. This enamel is extra impact-resistant, and scratch-resistant, but also very easy to clean and much more hygienic. Just wipe it down inside with a sponge to make your microwave shine.



SM2606W

WHITE

- 26 litres
- Solo
- Enamelite® Cavity
- 5 cooking modes
- Mirror front
- Mechanical programmer
- Timer 35min
- Rotating tray 32cm
- Power 900W



Available models

BLACK / SE2616B


SILVER / SE2616S



COOKERS



THE COMBINATION OF AESTHETICS AND FUNCTIONALITY



FOR COOKING RESULTS

The Brandt cookers range offers a wide array of possibilities to make your cooking talents shine. The precision of induction, tradition for fans of gas cooking, simmering for vitroceramic or the simplicity of electric, **Brandt cooking hobs satisfy every need.** As regards ovens, you have a choice between conventional and a traditional or multifunction cooker for total cooking control.

FOR SIMPLICITY OF USE

The electronic programming helps you prepare all your dishes. Select the desired cooking mode, the cooker will recommend the most appropriate temperature, which, if need be, is adjustable. The cooking time too can be accurately adjusted, and the cooker displays the end time.



FOR MANY PRACTICAL ASSETS

THE ANTI-TIPPING SAFETY GRIDS: STABILITY = SAFETY!

Designed to hold all types of dishes or pans for cooking or browning, **these grids can be pulled out** of the up to three-quarters of their length and remain perfectly stable. They are also extremely practical for grilling as you can place meat directly on them.




THE SWORD TURNSPIT: A HOME ROTISSERIE!

Cooking on the turnspit is highly recommended for meat to be roasted since the meat that comes off it is tasty and uniformly cooked. Its handle is made to manipulate the largest poultry and taking it out of the oven without burning yourself. Removable, it can be unscrewed, which makes storing the turnspit easier. (depending on model).



A STORAGE SPACE WITH DROP DOWN DOOR

Necessary to store pots and pans like drip tray, pastries, cake pans.




VISIBLE PERFORMANCES

A CLASS: REDUCED ENERGY CONSUMPTION

All Brandt cookers get the A label. Excellent oven insulation and controlled management of cooking temperatures, which contribute to significantly save energy. They also provide more information and allow to better assess product performance by providing information on:

- **The energy class**, set from energy consumption, calculated by conventional cooking mode and the fan cooking mode, compared to a standard use.
- **Energy consumption in kWh**, calculated on the basis of a cycle in conventional cooking mode and fan cooking mode.
- **The usable volume, in litres**, of the oven cavity.



Energy class

Energy consumption in kWh.

Usable volume, in litres, of the oven cavity.

COOKERS INDUCTION 60CM



BCI6654W WHITE

- Multifunction
- Pyrolysis
- 4 induction cooking zones
- Electronic programming
- Sensitive controls
- A Class

Induction cooking hob

- 10 positions
- Safety pack
- Child safety

Electrical oven

- Capacity 57 litres
- 9 positions
- Cooking time and end time control
- Temperature recommendation
- Turnspit "Epée"
- 2 anti-tipping safety grids
- 1 drip tray

Multifunction

Among the six cooking modes available, 2 different dishes can be cooked simultaneously without mixing odours.



CHILD SAFETY

This function allows you to lock the control panel when cooker is turned off (when cleaning for example) or during cooking (to ensure that your settings are not changed). Only the "stop" button remains active to cut off power to a heating zone even when locked.

Brandt
thinks of you

COOKERS VITROCERAMIC 60CM



BCV6640W WHITE

- Multifunction
- Catalytic
- 4 radiant cooking zones
- Electronic programming
- A Class

Induction cooking hob

- 9 positions

Electrical oven

- Capacity 53 litres
- 6 positions
- Cooking time and end time control
- Temperature recommendation
- Turnspit
- 2 anti-tipping safety grids
- 1 drip tray

“ MAINS CUT-OFF TIMER

Your oven will stop automatically when the cooking time displayed reaches its end.”

BCV6651W WHITE

- Multifunction
- Pyrolysis
- 4 radiant cooking zones
- Cut off timer
- A Class

Vitroc ceramic cooking hob

- 9 positions

Electrical oven

- Capacity 57 litres
- 7 positions
- 1 anti-tipping safety grid
- 1 drip tray



COOKERS VITROCERAMIC 50CM



KV1550A

ANTHRACITE BLACK

- Multifunction
- Catalytic
- 4 radiant cooking zones
- A class
- Flap

Vitroceramic cooking hob

- 9 positions
- Residual heat indicator
- Timer

Electrical oven

- Volume 47 litres
- 6 positions
- 2 anti-tipping safety grids
- 1 drip tray

Available models

WHITE / KV1550W
STAINLESS STEEL / KV1550X



“ RESIDUAL HEAT INDICATOR

Residual heat indicator to prevent you from touching areas that are still hot (after intensive use). ”

KV1540X

STAINLESS STEEL

- Natural convection
- Catalytic
- 4 radiant cooking zones
- A class
- Flap

Vitroceramic cooking hob

- 9 positions
- Residual heat indicator
- Timer 90min

Electrical oven

- Volume 52 litres
- 4 positions
- 1 anti-tipping safety grid
- 1 drip tray

Available model

WHITE / KV1540W





KE1500W WHITE

- Natural convection
- Catalytic
- 4 electrical cooking zones
- Ignition integrated into the knobs
- A class
- Flap

Electrical cooking hob

- 6 positions
- 2 enamelled grids
- Timer 90min

Electrical oven

- Volume 52 litres
- 4 positions
- 1 anti-tipping safety grid
- 1 drip tray

“CATALYTIC

This continuous cleaning oven has 3 partitions covered with catalytic enamelled, which provides it with its self-degreasing properties.

As soon as grease appears, it spreads out and is dispersed into the microporous contact side. Grease is immediately oxidised on both sides and gradually disappears. If you only cook occasionally and prepare dishes with little sugar, this type of cleaning is perfect for you.”

COOKERS MIXED 50CM



KM1555W WHITE

- Multifunction
- Catalytic
- 3 gas cooking zones + 1 electrical cooking zone
- Ignition integrated into the knobs (hob and oven)
- A class
- Flap

Mixed cooking hob

- 6 positions
- 2 enamelled grids
- Timer 90min
- Thermocouple safety

Electrical oven

- Volume 47 litres
- 6 positions
- 1 anti-tipping safety grid
- 1 drip tray

KM1550W WHITE

- Natural convection
- Catalytic
- 3 gas cooking zones + 1 electrical cooking zone
- Ignition integrated into the knobs (hob and oven)
- A class
- Flap

Mixed cooking hob

- 6 positions
- 2 enamelled grids
- Thermocouple safety

Electrical oven

- Volume 52 litres
- 4 positions
- 1 anti-tipping safety grid
- 1 drip tray



COOKERS GAS 60CM AND 50CM



BCG6640X STAINLESS STEEL

- Multifunction
- Catalytic
- 4 gas cooking zones
- Electronic Ignition (hob)
- A Class
- Flap

Mixed cooking hob

- 2 enameled grids
- Thermocouple safety

Gas oven

- Capacity 53 litres
- Electrical grill
- 4 positions
- 1 anti-tipping safety grid
- 1 drip tray
- 1 pastry tray
- 1 flat grid
- Gas oven safety "Securis"

Available model
WHITE / BCG6640W



“CONTROLS PANEL EASY TO USE

- Better readability of the panel both for oven and hob.
- Perfect ergonomic between knobs and the handle of the oven.”

KG1552X STAINLESS STEEL

- Natural convection
- Catalytic
- 4 gas cooking zones
- Ignition integrated into the knobs (hob)
- A class
- Flap

Mixed cooking hob

- 2 enamelled grids
- Thermocouple safety

Gas oven

- Volume 47 litres
- 2 positions
- 1 anti-tipping safety grid
- 1 drip tray



TECHNICAL CHARTS

TOP-LOADING WASHING MACHINES

DATASHEET		
White	BT653HQE	BT653ME
PRODUCT FICHE		
Rated capacity at full load (kg)	6.5	6.5
Energy efficiency class	Wattless A+++ -10%	A+++
Induction engine silence	■	-
Energy consumption (kWh/year) ⁽¹⁾	147	164
Energy consumption of the standard 60°C cotton programmed at full load (kWh)	0.81	0.96
Energy consumption of the standard 60°C cotton programmed at partial load (kWh)	0.60	0.60
Energy consumption of the standard 40°C cotton programmed at partial load (kWh)	0.39	0.44
Weighted power consumption of the off-mode and left-on mode (W)	0.49 / 0.49	0.49 / 0.49
Water consumption (l/year) ⁽²⁾	9115	9115
Spin-drying efficiency class ⁽³⁾	B	B
Maximum spin speed (rpm)	1300	1300
Remaining moisture content (%)	53	53
Time of the standard 60°C cotton programme at full load (min.) ⁽⁴⁾	205	199
Time of the standard 60°C cotton programme at partial load (min.)	166	137
Time of the standard 40°C cotton programme at partial load (min.)	158	132
Duration of the left-on mode (min.)	3	3
Airborne acoustical noise emission during washing for the standard 60°C cotton programme at full load (dB(A))	48	58
Airborne acoustical noise emission during spinning for the standard 60°C cotton programme at full load (dB(A))	74	79
GENERAL FEATURES		
Litres / Material drum	42 l / Stainless steel	42 l / Stainless steel
Automatic weighing	■	■
Delayed start	24h	24h
Adjustable cold temperature 90°	■	■
PROGRAMMES		
OptiA 39 minutes	■	■
Flash 25 minutes	■	■
Cotton/Towels	■	■
Cotton Eco	■	■
Cotton Prewash	■	■
Synthetics	■	■
Delicates	■	■
Sport	■	■
Jeans	■	■
Shirts	■	■
Baby	■	■
Rinse / Spin	■	■
OPTIONS-BUTTONS		
Sensitive skin	■	■
Easy iron	■	■
Soiling +/-	■	■
Dark colors	■	■
Rinse Plus / Rinse Hold	■ / ■	■ / ■
USER COMFORT		
Panel control	LCD display	LCD display
Remaining time display	■	■
Posistop	■	■
Sesam'	■	■
Easy start	■	■
Opti4	■	■
Removable product box (3 boxes)	■	■
Polytenax / Steel tank	■	■
Wheels	■	■
SAFETIES		
Load balancing system	■	■
Anti-overflow safety	■	■
Anti detergent safety system	■	■
Water inlet defect	■	■
Anti-foam system	■	■
Child safety	■	■
ELECTRIC CONNECTING		
Total power (W)	2250	2250
Voltage / Frequency / intensity	220 - 240V / 50Hz / 10A	220 - 240V / 50Hz / 10A
DIMENSIONS / WEIGHT		
Net dimensions H x W x D (cm)	85 x 40 x 60	85 x 40 x 60
Dimensions with packaging H x W x D (cm)	97 x 48 x 70	97 x 48 x 70
Net / Gross weight (kg)	57 / 59	57 / 59
EAN CODE		
White	613 382...	600 232 4
		600 231 7

⁽¹⁾ Weighted annual energy consumption is based on 220 standard washing cycles for cotton programmes at 60°C and 40°C at full and partial load, and the consumption of the low-power modes. Actual energy consumption will depend on how the appliance is used.

⁽²⁾ Weighted annual water consumption is based on 220 standard washing cycles for cotton programmes at 60°C and 40°C at full and partial load. Actual water consumption will depend on how the appliance is used.

⁽³⁾ Scale G (less efficient) to A (most efficient).

⁽⁴⁾ The "standard 60°C cotton programme" and the "standard 40°C cotton programme" are the standard washing programmes to which the information in the label and the fiche relates. These programmes are suitable to clean normally soiled cotton laundry and they are the most efficient programmes in terms of combined energy and water consumption.

TECHNICAL CHARTS

TOP-LOADING WASHING MACHINES

BT650ME	BT602LE	BT600LE	BT608LE	BT550BE	BT558BE
6.5	6	6	6	5.5	5.5
A+++	A+++ -10%	A+++ -10%	A+++ -10%	A+++	A+++
-	-	-	-	-	-
164	137	137	137	142	142
0.96	0.79	0.79	0.79	0.79	0.79
0.60	0.50	0.50	0.50	0.54	0.54
0.44	0.44	0.44	0.44	0.48	0.48
0.49 / 0.49	0.47 / 0.47	0.47 / 0.47	0.47 / 0.47	0.47 / 0.47	0.47 / 0.47
9115	8720	8720	8720	8390	8390
C	B	C	A	C	D
1000	1200	1000	800	1000	800
61	53	61	71	61	71
199	205	205	205	201	201
137	123	123	123	121	121
132	120	120	120	119	119
3	3	3	3	3	3
58	58	58	57	57	57
78	79	78	76	78	76
42 l / Stainless steel	42 l / Stainless steel	42 l / Stainless steel	42 l / Stainless steel	42 l / Stainless steel	42 l / Stainless steel
■	■	■	■	■	■
24h	12h	12h	12h	12h	12h
■	■	■	-	-	-
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
■	-	-	-	-	-
■	-	-	-	-	-
■	■	■	■	■	■
■	-	-	-	-	-
■	-	-	-	-	-
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
■	-	-	-	-	-
■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
LCD display	Touch control and LED display	Touch control and LED display	Touch control and LED display	Touch control and LED display	Touch control and LED display
■	-	-	-	-	-
■	■	■	■	■	■
-	-	-	-	-	-
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	-	-
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
2250	2250	2250	2250	2250	2250
220 - 240V / 50Hz / 10A	220 - 240V / 50Hz / 10A	220 - 240V / 50Hz / 10A	220 - 240V / 50Hz / 10A	220 - 240V / 50Hz / 10A	220 - 240V / 50Hz / 10A
85 x 40 x 60	85 x 40 x 60	85 x 40 x 60	85 x 40 x 60	85 x 40 x 60	85 x 40 x 60
97 x 48 x 70	97 x 48x 70	97 x 48 x 70	97 x 48x 70	97 x 48x 70	97 x 48x 70
57 / 59	57 / 59	57 / 59	57 / 59	57 / 59	57 / 59
600 230 0	600 229 4	600 228 7	600 227 0	600 226 3	600 225 6

TECHNICAL CHARTS

FRONT-LOADING WASHING MACHINES

DATASHEET						French Panel	
White	BWF524DWE	BWF506DWE	BWF594DWE	BWF584CWE	BWF814CWE	BWF48TCW	BWF582WWE
PRODUCT FICHE							
Rated capacity at full load (kg)	12	10	9	8	8	8	8
Maximum spin speed (rpm)	1400	1600	1400	1400	1400	1400	1200
Type	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing	Free standing
Energy efficiency class	A+++ -30%	A+++ -30%	A+++ -10%	A+++	A+++	A+++	A+++
Energy consumption (kWh/year) ⁽¹⁾	197	167	196	196	196	196	196
Energy consumption of the standard 60°C cotton programme at full load (kWh)	0.9	0.77	0.93	0.9	0.97	0.97	0.9
Energy consumption of the standard 60°C cotton programme at partial load (kWh)	0.9	0.78	0.93	0.9	0.75	0.75	0.9
Energy consumption of the standard 40°C cotton programme at partial load (kWh)	0.82	0.66	72	0.84	0.72	0.72	0.84
Weighted power consumption of the off-mode and left-on mode (W)	0.5 / 1	0.5 / 1	0.5 / 1	0.5 / 1	0.5 / 1	0.5 / 1	0.5 / 1
Water consumption (l/year) ⁽²⁾	14 000	13 000	11 800	10 500	10 500	10 500	10 500
Spin-drying efficiency class ⁽³⁾	B	B	B	B	B	B	B
Remaining moisture content (%)	55	45	55	55	50	50	55
Time of the standard 60°C cotton programme at full load / at partial load / 40°C cotton programme at partial load (min.)	245 / 236 / 236	242 / 247 / 235	228 / 219 / 213	213 / 204 / 207	232 / 215 / 214	232 / 215 / 214	213 / 204 / 207
Airborne acoustical noise emission during washing / spinning for the standard 60°C cotton programme at full load (dB(A))	54 / 76	54 / 78	54 / 76	59 / 78	58 / 78	58 / 78	59 / 78
GENERAL FEATURES							
Drum volume ⁽¹⁾	76	70	64	60	60	60	60
Delayed start	1 to 24h	1 to 24h	1 to 24h	1 to 24h	1 to 24h	1 to 24h	1 to 24h
Automatic variable consumption	■	■	■	■	■	■	■
Adjustable cold temperature 90°	■	■	■	■	■	■	■
PROGRAMMES							
Cotton	■	■	■	■	■	■	■
Memo	■	■	■	■	■	■	■
OptiA 45min	■	■	■	■	-	-	■
Flash 21min	■	■	■	■	■	■	■
Dark clothes	■	■	■	■	-	-	■
Spin drying	■	■	■	■	■	■	■
Rinse spin drying	■	■	■	■	■	■	■
Sport	■	■	■	■	■	■	■
Cotton ECO	■	■	■	■	-	-	■
Synthetics	■	■	■	■	■	■	■
Wool/Delicates	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
Handwash	■	■	■	■	■	■	■
Shirts	■	■	■	■	■	■	■
Sheets/Towels	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
Baby clothes	■	■	■	■	-	-	■
Down	■	■	■	■	-	-	■
OptiA 60°	-	-	-	-	■	-	-
Quick	-	-	-	-	-	-	-
Drum clean	-	-	-	-	-	-	-
OPTIONS							
Easy Ironing	■	■	■	■	-	-	■
Rinse plus	■	■	■	■	-	-	■
Opti Time	■	■	■	■	■	■	■
Prewash	-	-	-	-	■	■	-
Intensive	-	-	-	-	■	■	-
Soak	-	-	-	-	■	■	-
Not dirty	-	-	-	-	■	■	-
Rinse plus	-	-	-	-	■	■	-
Rinse hold	-	-	-	-	■	■	-
USER COMFORT							
Control pannel	Large LCD	Large LCD	Large LCD	Large LCD	LCD	LCD	Large LCD
Sensitive controls	■	■	■	■	■	■	■
Remaining time	■	■	■	■	■	■	■
Display progress of cycle	Digits	Digits	Digits	Digits	Digits	Digits	Digits
Water recirculation	■	■	■	■	■	■	■
3 product dispensers	■	■	■	■	■	■	■
Polytenax tub	■	■	■	■	■	■	■
Window access	33cm	33cm	32cm	32cm	32cm	32cm	32cm
Opening 180°	■	■	■	■	■	■	■
Adjustable 4 feet in height	■	■	■	■	■	■	■
SAFETIES							
Anti-overflow safety /Anti detergent safety system	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
Water inlet defect /Anti-foam system	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / ■
Locked keyboard	■	■	■	■	■	■	■
POWER							
Total power (W)	2 000	2 000	2 000	2 000	2 000	2 000	2 250
Voltage / Frequency / Intensity	220 - 240 V / 50 Hz / 10 A	220 - 240 V / 50 Hz / 10 A	220 - 240 V / 50 Hz / 10 A	220 - 240 V / 50 Hz / 10 A	220 - 240 V / 50 Hz / 10 A	220 - 240 V / 50 Hz / 10 A	220 - 240 V / 50 Hz / 10 A
DIMENSIONS - WEIGHT							
Net dimensions H x W x D (cm)	85 x 59.5 x 56.5	86 x 59.5 x 56.5	85 x 59.5 x 56.5	85 x 59.5 x 56.5	85 x 59.5 x 56.5	85 x 59.5 x 56.5	85 x 59.5 x 56.5
Packed dimensions H x W x D (cm)	88 x 68 x 73	87.5 x 68 x 70	87 x 68 x 69	87 x 68 x 69	87.5 x 68 x 69	87.5 x 68 x 66	87.5 x 68 x 66
Net / Gross weight (kg)	66 / 70	66 / 70	73 / 77	66 / 70	66 / 70	66 / 70	66 / 70
EAN CODE							
White	795 349 9	795 348 2	795 347 5	795 346 8	794 265 3	758 296 5	795 345 1

⁽¹⁾ Norme EN60456 - (regulation 2010/1061) for washing machines

⁽²⁾ Weighted annual energy consumption is based on 220 standard washing cycles for cotton programmes at 60°C and 40°C at full and partial load, and the consumption of the low-power modes. Actual energy consumption will depend on how the appliance is used.

⁽³⁾ Weighted annual water consumption is based on 220 standard washing cycles for cotton programmes at 60°C and 40°C at full and partial load. Actual water consumption will depend on how the appliance is used.

FRONT-LOADING WASHING MACHINES

		French Panel					
BWF574WWE	BWF714SWE	BWF47TWW	BWF7120E	BWF612WWE	BWF6100E	BWF5100E	BWF5080E
7 1 400	7 1 400	7 1 400	7 1 200	6 1 000	6 1 000	5 1 000	5 1 000
Free standing A+++ 175 0.96	Free standing A+++ 175 0.92	Free standing A+++ 175 0.92	Free standing A+ 224 -	Free standing A+++ 175 0.8	Free standing A+ 196 -	Free standing A+ 196 -	Free standing A+ 169 -
0.71	0.68	0.68	-	0.61	-	-	-
0.61	0.65	0.65	-	0.54	-	-	-
0.5 / 1	0.5 / 1	0.5 / 1	-	0.5 / 1	-	-	-
9 300 B 50	10 000 B 53	10 000 B 53	9 240 B 50	10 000 B 50	9 240 C -	8 250 C -	8 250 D -
217 / 202 / 196	232 / 215 / 208	232 / 215 / 208	-	234 / 224 / 224	-	-	-
59 / 76	58 / 78	58 / 78	58 / 76	58 / 76	58 / 74	58 / 74	58 / 74
50 1 to 24h ■ ■	50 1 to 24h ■ ■	50 1 to 24h ■ ■	50 - ■ ■	50 1 to 24h ■ ■	50 - ■ ■	50 - ■ ■	50 - ■ ■
■ ■<							

TECHNICAL CHARTS

FRONT-LOADING TUMBLE DRYER

	CONDENSER
DATASHEET	
White	BWD58H2WE
PRODUCT FICHE	
Rated capacity for the standard cotton programme at full load (kg of cotton)	8
Whether is an air vented or condenser or gas fired tumble dryer	Heat pump
Energy efficiency class	A++
Energy consumption (kWh/year) ⁽¹⁾	236
Whether is "an automatic tumble dryer" or "a non-automatic tumble dryer"	Automatic
Energy consumption of the standard cotton programmed at full load (kWh)	1.98
Energy consumption of the standard cotton programmed at partial load (kWh)	1.08
Power consumption of the off-mode and the left-on mode for the standard cotton programme at full load (W)	1000
Duration of the left-on mode (min.)	—
Weighted programme time of the standard cotton programme at full load and partial load (min.)	—
Programme time of the standard cotton programme at full load (min.)	—
Programme time of the standard cotton programme at partial load (min.)	—
Condensation efficiency class ⁽¹⁾	B
Average condensation efficiency of the standard cotton programme at full load / at partial load (%)	80 / 80
Weighted condensation efficiency for the standard cotton programme at full load and partial load (%)	80
Sound power level in dB for the standard cotton programme (dB(A))	60
GENERAL FEATURES	
Litres / Material drum	105L/Stainless steel
Delayed start ⁽²⁾	24h
Programming	Electronic by resistivity
Alternated rotation	■
PROGRAMMES	
Special programs:	
■ Jeans	■
■ Mix	■
■ Sports	■
■ Shirts	■
■ Timer:	
- Warm	■
- Cool	■
- Refresh	■
■ Wool	■
■ Cotton:	
- Extra	■
- Standard	■
- Iron	■
■ Delicate	■
■ Synthetics:	
- Extra	■
- Standard	■
- Iron	■
OPTIONS- BUTTONS	
Child lock	■
Drying level	■
Anti-crease	■
USER COMFORT	
Panel control	Screen LCD
Remaining time display	■
Memo Activ'	■
Tank position	■
Complementary drying	30min / 60min / 90min
End cycle cooling	■
Steam anti-crease	-
Anti-crease function	■
End of cycle buzzer	Can be de-activated
Direct access anti-fluff filter	■
Opening of door	Push to 180°
Filter maintenance lighting	■
Full tank lighting	■
Air outlets (with duct)	-
Kit of overlapping (optional)	-
Adjustable feet	4
SAFETIES	
Full tank safety	■
Child safety	■
ELECTRIC CONNECTING	
Voltage / Frequency / intensity	220-240V / 50Hz / 16A
DIMENSIONS / WEIGHT	
Net dimensions H x W x D (cm)	85 x 60 x 60
Dimensions with packaging H x W x D (cm)	91.5 x 64 x 68.5
Net / Gross weight (kg)	52 / 55
EAN CODE	
White	366 076 795 478 6

⁽¹⁾ Scale G (less efficient) to A (most efficient)

⁽²⁾ Only on the drying programme

⁽³⁾ Weighted annual energy consumption based on 160 drying cycles of the standard cotton programme at full and partial load, and the consumption of the low-power modes. Actual energy consumption per cycle will depend on how the appliance is used.

TECHNICAL CHARTS

DISHWASHERS

60CM				
DATASHEET	DFH15532W	DFH14102W	DFH14104W	DFH13532W
White	-	-	-	-
Black	-	-	-	-
Silver	-	-	-	-
Stainless steel	-	-	DFH14104X	-
Place settings number	15	14	14	13
Installation type	Free standing	Free standing	Free standing	Free standing
Energy class	A+++	A+++	A+++	A+++
Energy consumption (kWh/year) ⁽¹⁾	239	237	237	234
Standard cleaning cycle : Energy efficiency class (ECO 50°C) kWh/min	0.84	-	-	0.82
Power consumption in on-off and left-on mode (W)	0.45 / 0.49	-	0.45 / 0.49	0.45 / 0.49
Water consumption (l/year) ⁽²⁾	2800	2 800	2 800	2800
Drying efficiency class ⁽³⁾	A	A	A	A
Programme time for the standard cleaning cycle (min.) ⁽⁴⁾	220	180	180	215
Airborne acoustical noise emission	42	42	44	42
GENEAL FEATURES				
Washing efficiency class	A	A	A	A
Silence drive system	■	-	-	■
Delayed start	1 to 24h	1 to 24h	1 to 24h	1 to 24h
PROGRAMMES				
Programmes number / Washing temperatures	7 / 6	9 / 6	9 / 6	7 / 6
Soak	■	■	■	■
Fragile - 40°C	■	■	■	■
Flash 30min - 45°C	-	-	-	-
Glass 45°C	-	■	■	-
Eco - 50°C	■	■	■	■
Rapid 40°C	-	■	■	-
Auto - 45 / 55°C	■	■	■	■
Normal - 55°C	■	■	■	■
OptiA 60 - 60°C	■	■	■	■
90min 65°C	-	-	-	-
Intensive - 65°C	-	■	■	-
Auto clean 70°C	-	-	-	-
PowerJet - 70°C	■	-	-	■
USER COMFORT				
Control pannel	Leds and digits	LCD	LCD	Leds and digits
Remaining time display	■	■	■	■
Filter tank bottom	■	■	■	■
4 in 1 function	■	■	■	■
Cutlery space third basket	■	■	■	-
Upper basket adjustable when loaded	■	■	■	■
Adjustable lower basket	■	■	■	■
Adjustable cutlery basket	-	-	-	■
Salt / Rinse aid indicator	■	■	■	■
Stainless steek tank	■	■	■	■
Adjustable wheels / Removable top	■ / ■	■ / ■	■ / ■	■ / ■
SAFETY				
Aquasafe (Anti-overflow / Anti-leak)	■	■	■	■
ELECTRICAL CONNECTION				
Total power (W)	1930	1800-1930	1800-1930	1800-1930
Voltage / Frequency / Intensity	230V / 50Hz / 10A	230V / 50Hz / 10A	230V / 50Hz / 10A	230V / 50Hz / 10A
DIMENSIONS - WEIGHT				
Net dimensions with top H x W x D (cm)	84.5 x 60 x 59.8	85 x 60 x 58	85 x 60 x 58	84.5 x 60 x 59.8
With packaging H x W x D (cm)	88.4 x 64.5 x 64.5	88.4 x 64.5 x 64.5	88.4 x 64.5 x 64.5	88.4 x 64.5 x 64.5
Net / Gross weight (kg)	51 / 57.5	48 / 55	48 / 55	49 / 55.5
EAN CODE				
White	366 076...	794 106 9	758 313 9	758 311 5
Black	366 076...	-	-	-
Silver	366 076...	-	-	-
Stainless steel	366 076...	-	758 312 2	-

⁽¹⁾ Based on 280 ECO cleaning cycles using cold water fill and the consumption of the low-power modes. Actual energy consumption will depend on how the appliance is used.

⁽²⁾ Based on 280 ECO cleaning cycles. Actual water consumption will depend on how the appliance is used.

⁽³⁾ Scale G (less efficient) to A (most efficient)

⁽⁴⁾ The ECO programme is the standard cleaning cycle to which the information in the label and the fiche relates. This programme is suitable to clean normally soiled tableware, and it is the most efficient programme in terms of combined energy and water consumption.

TECHNICAL CHARTS

DISHWASHERS

60CM					COMPACT
DFH13534W	DFH13524W	DFH13526W	DFH13117W	DFH12127W	DFC6519W
-	DFH13524B	DFH13526B	-	-	DFC6519B
-	-	-	-	-	DFC6519S
DFH13534X	DFH13524X	DFH13526X	DFH13117X	-	-
13	13	13	13	12	6
Free standing	Free standing	Free standing	Free standing	Free standing	Free standing
A+++	A++	A++	A++	A++	A+
234	262	262	262	291	174
0.82	0.92	0.92	-	-	0.62
0.45 / 0.49	0.45 / 0.49	0.45 / 0.49	0.45 / 0.49	0 / 0.75	0.49 / 0.49
2800	2800	2800	2800	3 360	1 820
A	A	A	A	A	A
195	175	175	175	165	180
44	44	46	47	47	49
A	A	A	A	A	A
-	-	-	-	-	-
1 to 24h	1 to 24h	3 / 6 / 9 / 12h	1 to 24h	1 to 24h	1 to 24h
7 / 6	7 / 6	7 / 6	6 / 6	7 / 5	7 / 5
■	■	■	■	■	■
■	■	■	■	■	■
-	-	-	-	-	-
-	-	-	-	-	■
■	■	■	■	■	■
-	-	-	-	-	■
■	■	■	■	■	■
■	■	■	■	■	■
■	■	■	■	■	■
-	-	-	■	■	■
-	-	-	-	-	■
■	■	■	-	-	-
Leds and digits	Leds and digits	Leds	Leds	Leds and digits	Leds and digits
■	■	■	■	■	■
■	■	■	■	■	■
-	-	-	-	-	-
■	■	■	■	■	-
■	■	■	■	■	-
■	■	■	■	■	■
■	■	■	■	■	■
■ / ■	■ / ■	■ / ■	■ / ■	■ / ■	■ / -
■	■	■	■	■	-
1800-1930	1800-1930	1930	1800-1930	1800-1930	1280
230V / 50Hz / 10A	230V / 50Hz / 10A	230V / 50Hz / 10A	230V / 50Hz / 10A	230V / 50Hz / 10A	230V / 50Hz / 6A
84.5 x 60 x 59.8	84.5 x 60 x 59.8	84.5 x 60 x 59.8	85 x 60 x 58	85 x 60 x 58	43.8 x 55 x 50
88.4 x 64.5 x 64.5	88.4 x 64.5 x 64.5	88.4 x 64.5 x 64.5	88.4 x 64.5 x 64.5	88.5 x 63.5 x 62.5	51 x 60.5 x 55.5
49 / 55.5	50 / 56	50 / 56	46 / 53	46 / 53	21 / 23
794 068 0	794 065 9	794 062 8	758 306 1	758 304 7	794 107 6
-	794 066 6	794 063 5	-	-	794 108 3
-	-	-	-	-	794 130 4
794 069 7	794 067 3	794 066 6	758 307 8	758 305 4	-

TECHNICAL CHARTS

FRIDGE FREEZER

DATASHEET	NO FROST			STATIC
Brand	Brandt	Brandt	Brandt	Brandt
White	BFC504YNW	BFC584YNW	BFC582LNW	BFC355SW
Silver	-	-	-	-
Inox look	BFC504YNX	BFC584YNX	BFC582LNX	-
Category ⁽¹⁾	7	7	7	7
Energy efficiency class	A++	A++	A+	A+
Energy consumption (KWh/year)	270	270	312	242
Net refrigerator volume (L)	258	232	233	178
Freezer storage volume (L)	92	92	93	68
Star rating	****	****	****	****
NO FROST	Yes (Total)	Yes (Total)	Yes (Total)	No
Temperature rise time (h)	15	15	16	12
Freezing capacity (kg/24h)	12	12	12	3
Climate class	SN - T	SN - T	SN - T	N - ST
Noise emission (dB(A))	42	42	42	43
Installation type	Free standing	Free standing	Free standing	Free standing
ADDITIONAL FEATURES				
Total net volume (L)	350	324	326	246
Number of compressors	1	1	1	1
Temperature control	Electronic	Electronic	Electronic	Mechanical
Display	LCD in front	LCD in front	LED inside	Mechanical
Biocare (Antibacterial inner liner)	-	-	-	-
Integral handles	-	-	-	■
Reversible door	■	■	■	■
Adjustable Wheels / feet	2 / 2	2 / 2	2 / 2	2 / 2
Gas	R600A	R600A	R600A	R600A
REFRIGERATOR				
Defrost	Automatic	Automatic	Automatic	Manual
Cooling type	No Frost	No Frost	No Frost	Static
Super cooling function	■	■	■	-
Holiday function	■	■	■	-
Door open alarm (sound and visual)	■	■	-	-
Temperature indicator OK	■	■	■	■
Interior light	LED	LED	LED	■
Glasse shelves	3	2	3	2
MultiFresh compartment (-2 / +3°C)	1	1	-	-
Vegetable drawer	1	1	1	1
Above vegetable drawer	Glass	Glass	Glass	Glass
Balconny with flap	1	1	1	1
Balconny	1	1	1	1
Half balcony	-	-	-	-
Bottle balcony	1	1	1	1
Egg tray	2	2	2	2
Bottles holder under shelf	1 (folding)	1 (folding)	-	-
FREEZER				
Defrost	Automatic	Automatic	Automatic	Manual
Cooling type	No Frost	No Frost	No Frost	Static
Drawers	3	3	3	3
Super freezing function	■	■	■	-
Ice cube tray	2	2	2	2
Twist ice (Ice maker)	-	-	-	-
Door open alarm (sound and visual)	■	■	-	-
Evacuation defrost water	-	-	-	-
CONSUMPTIONS				
Electrical consumption (kWh/24h)	0.742	0.67	0.856	0.66
CONNECTION				
Power (W)	110	110	115	110
Electrical connection	220-240V / 50Hz / 0.7A	220-240V / 50Hz / 0.7A	220-240V / 50Hz / 0.8A	220-240V / 50Hz / 0.52A
Supplier power cord lenght	200	200	180	200
DIMENSIONS - WEIGHT				
Overall H x W x D (cm)	201 x 59.5 x 68.3	185 x 59.5 x 68.3	185 x 59.5 x 68.3	168.7x 55.4 x 55.1
With packaging H x W x D (cm)	209.1 x 65.0 x 74.3	193.1 x 64.6 x 74.3	193.1 x 64.6 x 74.3	174 x 58 x 58
Net / Gross weight (kg)	85 / 93	78 / 86	78 / 86	55 / 60
EAN CODE				
White	366 076...	794 216 5	794 207 3	794 211 0
Silver	366 076...	-	-	-
Inox look	366 076...	794 218 9	794 214 1	794 213 4

TECHNICAL CHARTS

DOUBLE DOOR

DATASHEET	NO FROST 60CM	TURBO'AIR 55CM		4* - 55CM
Brand	Brandt	Brandt	Brandt	Brandt
White	BFD672MNW	BFD5665BW	BFD5651BW	BFD6425BW
Silver	-	BFD5665BS	-	-
Inox look	BFD672MNX	-	-	-
Category ⁽¹⁾	7	7	7	7
Energy efficiency class	A+	A++	A+	A+
Energy consumption (KWh/year)	277	186	222.65	226
Net refrigerator volume (L)	237	198	198	168
Freezer storage volume (L)	57	52	52	41
Star rating	****	****	****	****
NO FROST	Yes (total)	No	No	No
Temperature rise time (h)	15	20	6	16.5
Freezing capacity (kg/24h)	3	2.5	2.5	2
Climate class	N-T	ST	N	T
Noise emission (dB(A))	45	43	43	43
Installation type	Free standing	Free standing	Free standing	Free standing
ADDITIONAL FEATURES				
Total net volume (L)	294	250	250	209
Number of compressors	1	1	1	1
Temperature control	Mechanical	Mechanical	Mechanical	Mechanical
Display	Mechanical	Mechanical	Mechanical	Mechanical
Biocare (Antibacterial inner liner)	-	■	■	■
Reversible door	■	■	■	■
Adjustable Wheels / feet	2 / 2	2 / 2	2 / 2	2 / 2
Gas	R600A	R600A	R600A	R600A
REFRIGERATOR				
Defrost	Automatic	Automatic	Automatic	Automatic
Cooling type	No Frost	Turbo'Air	Turbo'Air	AMS
Temperature indicator OK	■	■	■	■
Interior light	■	■	■	■
Barao (water dispenser)	-	-	-	-
Glass shelves	3	4	4	3
MultiFresh compartment (-2 / +3°C)	-	-	-	-
Vegetable drawer	1	1	1	1
Above vegetable drawer	Glass	Glass	Glass	Glass
Balconny with flap	-	1	1	1
Balconny	2	2	2	2
Bottle balconny	1	1	1	1
Egg tray	2	2	2	2
FREEZER				
Defrost	Automatic	Manual	Manual	Manual
Cooling type	No Frost	Static	Static	Static
Glass shelves	1	-	-	-
Wire shelves	-	1	1	1
Balconies	-	-	-	-
Super freezing function	-	-	-	-
Twist ice (Ice maker)	-	-	-	-
Ice cube tray	1	1	1	1
Door open alarm	-	-	-	-
CONSUMPTIONS				
Electrical consumption (kWh/24h)	0.76	0.51	0.61	0.62
CONNECTION				
Power (W)	90	75	85	75
Electrical connection	220-240 V / 50 Hz / 0.42 A	220-240V / 50Hz / 0.43A	220-240V / 50Hz / 0.6A	220-240V / 50H / 0.43A
Cable lenght	165	200	200	200
DIMENSIONS - WEIGHT				
Net dimensions H x W x D (cm)	176.4 x 59.8 x 64.2	166 x 55 x 58	166 x 55 x 58	143 x 55 x 58
Dimensions with packaging H x W x D (cm)	183 x 65.5 x 70	171.8 x 57.5 x 60.5	171.8 x 57.5 x 60.5	148 x 57.5 x 60.5
Net / Gross weight (kg)	58 / 65	47 / 51	47 / 51	48 / 52
EAN CODE				
White	366 076...	795 748 0	794 017 8	795 751 0
Silver	366 076...	-	-	-
Inox look	366 076...	795 749 7	-	-

TECHNICAL CHARTS

SINGLE DOOR

DATASHEET	LARDER 60CM		LARDER 55CM	4 * 55 CM
Brand	Brandt	Brandt	Brandt	Brandt
White	BFL584YNW	BFL5636BW	BFL2232SW	BFS2222SW
Inox look	BFL584YNX	-	-	-
Inox	-	BFL5636BX	-	-
Category ⁽¹⁾	1	1	1	7
Energy efficiency class	A++	A++	A+	A+
Energy consumption (kWh/year)	130	108	127.75	208.05
Net refrigerator volume (L)	355	308	234	205
Freezer storage volume (L)	-	-	-	15
Star rating	-	-	-	****
NO FROST	No	No	No	No
Temperature rise time (h)	-	-	-	13
Freezing capacity (kg/24h)	-	-	-	2
Climate class	SN-T	N-T	ST	ST
Noise emission (dB(A))	40	41	43	43
Installation type	Free standing	Free standing	Free standing	Free standing
ADDITIONAL FEATURES				
Total net volume (L)	355	308	234	220
Number of compressors	1	1	1	1
Temperature control	Electronic	Mechanical	Mechanical	Mechanical
Display	LCD in front	Mechanical	Mechanical	Mechanical
Biocare (Antibacterial inner liner)	-	-	■	■
Reversible door	■	■	■	■
Adjustable Wheels / feet	- / 2	■ / ■	2 / 2	2 / 2
Gas	R600A	R600A	R600A	R600A
REFRIGERATOR				
Defrost	Automatic	Automatic	Manual	Manual
Cooling type	No Frost	Turbo'Air	Static	Static
Super cooling function	■	-	-	-
Holiday function	■	-	-	-
ECO function	■	-	-	-
Door open alarm (sound and visual)	■	-	-	-
Temperature indicator OK	■	■	■	■
Interior light	LED	LED	■	■
Glass shelves	4	5	5	3
MultiFresh compartment (-2 / +3°C)	1	-	-	-
Vegetable drawer	1	1	1	1
Above vegetable drawer	Glass	Glass	Glass	Glass
Balconny with flap	1	1	1	1
Balconny	3	3	3	3
Bottle balcony (blocks-bottles)	1	1	1	1
Egg tray	2	1	2	2
Bottle holders under shelf	1 (folding)	1	-	-
FREEZER				
Cooling type	-	-	-	Static
Ice cube tray	-	-	-	2
CONSUMPTIONS				
Electrical consumption (kWh/24h)	0.359	0.295	0.35	0.57
CONNECTION				
Power (W)	120	120	90	80
Electrical connection	220-240V / 50H / 0.4A	220-240V / 50H / 1A	220-240V / 50H / 0.55A	220-240V / 50H / 0.55A
Supplier power cord lenght	200	180	200	200
DIMENSIONS - WEIGHT				
Net dimensions H x W x D (cm)	185.5 x 59.5 x 66.2	163 x 60 x 65	143 x 55 x 58	143 x 55 x 58
Dimensions with packaging H x W x D (cm)	194.8 x 64.3 x 71.3	167 x 62 x 67	148 x 57.5 x 60.5	148 x 57.5 x 60.5
Height without top	-	-	-	-
Net / Gross weight (kg)	74 / 82	56 / 60	-	46 / 51
EAN CODE				
White	366 076...	794 201 1	793 937 0	792 636 3
Inox look	366 076...	794 203 5	-	-
Inox	366 076...	-	793 939 4	-

TECHNICAL CHARTS

TABLE-TOP

DATASHEET	LARDER	4*
Brand	Brandt	Brandt
White	TL13700	TF12700
Category ⁽¹⁾	1	7
Energy efficiency class	A+	A+
Energy consumption (KWh/year)	115	170
Net refrigerator volume (L)	130	104
Freezer storage volume (L)	-	15
Star rating	-	****
NO FROST	No	No
Temperature rise time (h)	-	8
Freezing capacity (kg/24h)	-	2
Climate class	N	N
Noise emission (dB(A))	43	43
Installation type	Free standing	Free standing
ADDITIONAL FEATURES		
Total net volume (L)	130	119
Number of compressors	1	1
Temperature control	Mechanical	Mechanical
Display	-	■
integrated handles	■	■
Reversible door	■	■
Adjustable Wheels / feet	- / 2	- / 2
Adjustable top	-	-
Gas	R600A	R600A
REFRIGERATOR		
Defrost	Automatic	Automatic
Cooling type	Static	Static
Temperature indicator OK	■	■
Interior light	■	■
Glass shelves	3	2
Vegetable drawer	1	1
Above vegetable drawer	Glass	Glass
Balconny with flap	1	1
Balconny	1	1
Bottle balconny	1	1
Egg tray	2	2
FREEZER		
Cooling type	-	Static
Drawers	-	-
Ice cube trays	-	1
CONSUMPTIONS		
Electrical consumption (kWh/24h)	0.315	0.465
CONNECTION		
Power (W)	80	110
Electrical connection	220-240V / 50Hz / 0.5A	220-240V / 50Hz / 0.5A
Cable lenght	150	150
DIMENSIONS - WEIGHT		
Net dimensions H x W x D (cm)	84.5 x 54.5 x 57	84.5 x 54.5 x 57
Dimensions with packaging H x W x D (cm)	88.5 x 57.3 x 59.5	88.5 x 57.3 x 59.5
Height without top	82	82
Net / Gross weight (kg)	34 / 38	34 / 39
EAN CODE		
White	366 076...	756 068 0
		756 069 7

⁽¹⁾ Appliance category

Category numbers - Designations	Temperature (°C)
Refrigerator with one or more fresh food storage compartments	5
Refrigerator cellar	5/12
Cellar	12
Wine storage appliances	12
Refrigerator with a compartment 0 star like chiller	5/0
Refrigerator with a compartment 1 star	5/-6
Refrigerator with a compartment 2 stars	5/-12
Refrigerator with a compartment 3 stars	5/-18
Fridge-freezer	5/-18
Upright freezer	-18
Chest freezer	-18
Others	≥ 14

TECHNICAL CHARTS

UPRIGHT FREEZERS

DATASHEET	NO FROST 60 CM		STATIC 55 CM
White	BFU584YNW	BFU662LNW	BFU4425SW
Inox look	BFU584YNX	-	-
Inox	-	BFU662LNX	-
Category ⁽¹⁾	8	8	8
Energy efficiency class	A++	A+	A+
Energy consumption (kWh/year)	244	266	223
Net volume (L)	255	201	161
Star rating	****	****	****
NO FROST	Yes	Yes	No
Temperature rise time (h)	15	18	16
Freezing capacity (kg/24h)	20	15	13
Climate class	SN - T	N-T	T
Noise emission (dB(A))	42	41	43
Installation type	Free standing	Free standing	Free standing
ADDITIONAL FEATURES			
Defrost	Automatic	Automatic	Manual
Cooling type	No Frost	No Frost	Static
Temperature control	Electronic	Electronic	Mechanical
Display	LCD in front	LED on the panel	Digits
Reversible door	■	■	■
Adjustable Wheels / feet	- / 2	■ / ■	2 / 2
Gas	R600A	R600A	R600A
USER COMFORT			
Super freezing function	■	■	■
ECO function	■	-	-
Temperature alarm visual / sound	■ / ■	■ / ■	■ / -
Door open alarm	■	■	■
Standard drawers	3	6	6
Maxi Box	3	1	-
Flap	1	-	-
2/3 drawer or smart corners	1	-	-
Twist ice (ice dispenser)	■	-	-
Ice cube tray	-	1	1
CONSUMPTIONS			
Electrical consumption (kWh/24h)	0.677	0.73	0.61
CONNECTION			
Power (W)	165	170	85
Electrical connexion	220-240V / 50Hz / 0.6A	220-230V / 50Hz / 1A	220-240V / 50Hz / 0.55A
Cable lenght (cm)	200	180	200
DIMENSIONS - WEIGHT			
Net dimensions H x W x D (cm)	185.5 x 59.5 x 66.2	163 x 62 x 62	143 x 55 x 58
Dimensions with packaging H x W x D (cm)	194.8 x 64.3 x 71.3	167 x 62 x 67	148 x 57.5 x 60.5
Net / Gross weight (kg)	77 / 85	58 / 63	48 / 52
EAN CODE			
White	366 076...	794 204 2	721 095 0
Inox look	366 076...	794 205 9	-
Inox	366 076...	-	795 917 0

TECHNICAL CHARTS

CHEST FREEZERS

DATASHEET	STATIC		
White	BFK300SW	BFK232SW	BFK172SW
Category ⁽¹⁾	9	9	9
Energy efficiency class	A++	A++	A++
Energy consumption (kWh/year)	195	166	145
Net volume (L)	300	232	172
Star rating	****	****	****
NO FROST	No	No	No
Temperature rise time (h)	47	44	48
Freezing capacity (kg/24h)	14	14	14
Climate class	T	T	T
Noise emission (dB(A))	42	41	44
Installation type	Free standing	Free standing	Free standing
ADDITIONAL FEATURES			
Cooling type	Static	Static	Static
Super isolation	■	■	■
Temperature control	Mechanical	Mechanical	Mechanical
Temperature display on the thermostat	■	■	■
Functions (V = lights)	Red	Red	Red
Start/Stop (V = lights)	Green	Green	Green
Alarm temperature (V = lights)	Red	Red	Red
Gas	R600A	R600A	R600A
USER COMFORT			
Baskets	2	2	1
Inside lighting	■	■	■
Hinge system	Compensated	Compensated	Compensated
Freezing guide	■	■	■
Keylock	■	■	■
Wheels/feet adjustable	■ / ■	■ / ■	■ / ■
Aluminium tank	■	■	■
Evacuation defrost water	■	■	■
CONSUMPTIONS			
Electrical consumption (kWh/24h)	0.52	0.45	0.40
CONNECTION			
Power (W)	130	120	85
Electrical connexion	220-240V / 50Hz / 0.6A	220-240V / 50Hz / 0.5A	220-240V / 50Hz / 0.4A
Cable length (cm)	200	200	200
DIMENSIONS - WEIGHT			
Net dimensions H x W x D (cm)	87 x 132 x 69	87 x 109 x 69	87 x 88 x 69
Dimensions with packaging H x W x D (cm)	90 x 139 x 73	90 x 116 x 73	90 x 95 x 73
Net / Gross weight (kg)	52 / 55	47 / 50	38 / 41
EAN CODE			
White	366 076...	794 030 7	794 029 1
			794 028 4

⁽¹⁾ Appliance category

Category numbers - Designations	Temperature (°C)
Refrigerator with one or more fresh food storage compartments	5
Refrigerator cellar	5/12
Cellar	12
Wine storage appliances	12
Refrigerator with a compartment 0 star like chiller	5/0
Refrigerator with a compartment 1 star	5/-6
Refrigerator with a compartment 2 stars	5/-12
Refrigerator with a compartment 3 stars	5/-18
Fridge-freezer	5/-18
Upright freezer	-18
Chest freezer	-18
Others	≥ 14

TECHNICAL CHARTS

MICROWAVES

		MICROWAVES				
		COMBINED		GRILL	SOLO ELECTRONIC	SOLO MECHANICAL
DATASHEET						
White	-	CE3610W	CE2646W	GE2626W	SE2616W	SM2606W
Black	-	CE3610B	CE2646B	GE2626B	SE2616B	SM2606B
Silver	-	-	CE2646S	GE2626S	SE2616S	SM2606S
Stainless steel	CE3620X	-	-	-	-	-
FEATURES						
Cavity volume (litres)	36	36	26	26	26	26
Restituted power MO	900W	900W	900W	900W	900W	900W
Reinforced grill / Quartz grill 1000W	1200W / -	1200W / -	1100W / -	- / ■	- / -	- / -
Circulating heat oven	1750W	1750W	2500W	-	-	-
Time clock + timer 95min	■	■	■	■	-	-
Mechanical timer 35min	-	-	-	-	■	■
Programming	Electronic	Electronic	Electronic	Electronic	Electronic	Mechanical
Cavity	Stainless steel	Stainless steel	Stainless steel	Enamelite	Enamelite	Enamelite
PROGRAMMES						
Backlit display	■	■	■	■	■	-
Rotating tray	36cm	36cm	32cm	32cm	32cm	32cm
Wire shelves	■	■	■	■	-	-
Steam dish in glass	■	-	-	-	-	-
Speed Defrost	■	■	■	■	■	-
Stop/cancel	■	■	■	■	-	-
Quick start	■	■	■	■	■	-
3 Memories	■	■	■	■	■	-
Keep warm	■	■	-	-	-	-
Autoprogramme	9 recipes	9 recipes	9 recipes	8 recipes	8 recipes	-
ELECTRICAL CONNECTION						
Voltage / Frequency / Intensity	230V / 50Hz / 20A	230V / 50Hz / 20A	230V / 50Hz / 16A	230V / 50Hz / 10A	230V / 50Hz / 10A	230V / 50Hz / 10A
DIMENSIONS - WEIGHT						
H x W x D Cavity (cm)	23 x 40.5 x 38.3	23 x 40.5 x 38.3	22.6 x 32.8 x 34.4	22.6 x 32.8 x 34.4	22.6 x 32.8 x 34.4	22.6 x 32.8 x 34.4
Net dimensions H x W x D (cm)	40.8 x 50.1 x 56.9	40.8 x 50.1 x 56.9	30.5 x 51.3 x 42.5	30.5 x 51.3 x 42.5	30.5 x 51.3 x 42.5	30.5 x 51.3 x 42.5
Dimensions with packing H x W x D (cm)	53 x 57.2 x 62	53 x 57.2 x 62	36.2 x 57.9 x 53	36.2 x 57.9 x 46	36.2 x 57.9 x 46	36.2 x 57.9 x 46
Net / Gross weight (kg)	27 / 32.3	27 / 32.3	18 / 19	14 / 16	14 / 16	14 / 16.55
EAN CODE						
White	366 076...	-	793 787 1	795 402 1	795 399 4	795 396 3
Black	366 076...	-	793 788 8	795 403 8	795 400 7	795 397 0
Silver	366 076...	-	-	795 404 5	795 401 4	795 398 7
Stainless steel	366 076...	793 789 5	-	-	-	-

TECHNICAL CHARTS

COOKERS

	INDUCTION	VITROCERAMIC			
	60CM	60CM	60CM	50CM	50CM
DATASHEET ⁽¹⁾					
White	BCI6654W	BCV6640W	BCV6651W	KV1550W	KV1540W
Anthracite	-	-	-	KV1550A	-
Stainless steel	-	-	-	KV1550X	KV1540X
Energy efficiency class	A	A	A	A	A
Energy Efficiency Index (EEI cavity)	100.2	-	100.2	106	106
Cooking mode	Fanned Multifunction	Multifunction	Fanned Multifunction	Multifunction	Natural convection
Conventional air convection - traditionnal (Kwh/MJ)	0.77 / -	0.795 / 2.67	0.77 / 2.59	0.79 / -	0.81 / -
Forced air convection - Fan cooking (Kwh/MJ)	0.9 / -	1.053 / 3.54	0.9 / 3.02	0.75 / -	-
Usable volume of the cavity (litres) Medium size	57	53	57	47	52
Power consumption in stand by mode (Wh)	0.47 / 0.94	-	-	0.9	0.9
Ecolabel of the European Union	Yes	Yes	Yes	Yes	Yes
ZONES TYPE					
Gas	-	-	-	-	-
Electric	-	-	-	-	-
Radiant	-	4	4	4	4
Induction	4	-	-	-	-
COOKING HOBS					
Positions number	10	9	9	9	9
Timer	Yes	Yes	Yes	Yes	Yes
Residual heat indicators	Yes	Yes	Yes	Yes	Yes
Ignition integrated into the knobs	-	-	-	-	-
Number of grils	2	2	2	-	-
Zones type	Vitroc ceramic	Vitroc ceramic	Vitroc ceramic	Vitroc ceramic	Vitroc ceramic
Thermocouple safety	-	-	-	-	-
POWER DIAMETER OF ZONES ⁽²⁾					
Rear left - Diameter / Power	Induction 180 / 2800	Radiant 210 / 2300	Radiant 210 / 2300	Radiant 140 / 1200	Radiant 140 / 1200
Power consumption (EC) / Gas Efficiency Energy (EE)	198	-	183	203	203
Front left - Diameter / Power	Induction 180 / 2800	Radiant 145 / 1200	Radiant 145 / 1200	Radiant 180 / 1700	Radiant 180 / 1700
Power consumption (EC) / Gas Efficiency Energy (EE)	198	-	177	205	205
Rear right - Diameter / Power	Induction 180 / 2800	Radiant 160 / 1500	Radiant 160 / 1500	Radiant 180 / 1700	Radiant 180 / 1700
Power consumption (EC) / Gas Efficiency Energy (EE)	198	-	207	205	205
Front right - Diameter / Power	Induction 180 / 2800	Radiant 180 / 1800	Radiant 180 / 1800	Radiant 140 / 1200	Radiant 140 / 1200
Power consumption (EC) / Gas Efficiency Energy (EE)	198	-	192	203	203
Energy consumption for the calculated hob per kg (EC hob Wh / kg and EE for gas hob)	792	-	759	816	816
OVEN					
Oven energy	Electrical	Electrical	Electrical	Electrical	Electrical
Positions number	-	-	-	6	4
Cleaning oven	-	-	-	Yes	Yes
Gril power (kW)	2100	2100	2100	1500	1500
OVEN EQUIPMENTS					
Inside light / Door opening	-	-	-	Yes / -	Yes / -
Anti-tipping safety grid	-	-	-	2	1
Pastries / Drip tray	-	-	-	- / 1	- / 1
Cavity dimensions (H x L x P) (mm)	315 x 430 x 375	315 x 430 x 375	315 x 430 x 375	337 x 437 x 315	337 x 437 x 315
CONSUMPTIONS - POWER					
Total gas power (kW)	-	-	-	-	-
Total electrical power (kW)	-	-	-	9.1	7.4
Electrical connection	-	-	-	230 V / 50 Hz / 32 A	230 V / 50 Hz / 34 A
EQUIPMENTS					
Adjustable feet	-	-	-	Yes 2.5cm	Yes 2.5cm
Flap	-	-	-	Yes	Yes
Delivered with cable	No	Yes	Yes	No	No
DIMENSIONS - WEIGHT					
Width (mm)	600	600	600	500	500
Depth (mm)	618	618	618	634	634
Height (mm)	850	850	850	825	825
Dimensions with packaging H x W x D (mm)	930 / 670 / 720	930 / 670 / 720	930 / 670 / 720	890 x 550 x 670	890 x 550 x 670
Net / Gross weight (kg)	56 / 59	55 / 57	55 / 57	31 / 32.9	31 / 32.9
EAN CODE					
White	366 076...	795 472 4	795 467 0	794 167 0	794 164 9
Anthracite	366 076...	-	-	794 168 7	-
Stainless steel	366 076...	-	-	794 166 3	794 165 6

⁽¹⁾ In accordance with the delegated regulation EU n°65/2014.

⁽²⁾ EE and EC: according to regulations of ecoconception (ecodesign) n°66/2014 14 January 2014.

TECHNICAL CHARTS

COOKERS

	ELECTRICAL	MIXED		GAS	
	50CM	50CM	50CM	60CM	50CM
DATASHEET ⁽¹⁾					
White	KE1500W	KM1555W	KM1550W	BCG6640W	-
Anthracite	-	-	-	-	-
Stainless steel	-	-	-	BCG6640X	KG1552X
Energy efficiency class	A	A	A	A	A
Energy Efficiency Index (EEI cavity)	106	106	106	101.4	106
Cooking mode	Natural convection	Multifunction	Natural convection	Multifunction	Natural convection
Conventional air convection - traditionnel (Kwh / MJ)	0.81 / -	0.79 / -	0.81 / -	-	1.65 / 5.92
Forced air convection - Fan cooking (Kwh / MJ)	-	0.75 / -	-	-	-
Usable volume of the cavity (litres) Medium size	52	47	52	53	47
Power consumption in stand by mode (Wh)	0.9	0.9	0.9	0.7	-
Ecolabel of the European Union	Yes	Yes	Yes	Yes	Yes
ZONES TYPE					
Gas	-	3	3	4	4
Electric	4	1	1	-	-
Radiant	-	-	-	-	-
COOKING HOBS					
Positions number	6	6	6	7	2
Timer	Yes	Yes	-	Yes	-
Residual heat indicators	-	-	-	-	-
Ignition integrated into the knobs	Yes	Yes	Yes	Yes	-
Number of grils	2	2	2	1	2
Zones type	Enamel	Enamel	Enamel	Enamel	Enamel
Thermocouple safety	Yes	Yes	Yes	Yes	Yes
POWER DIAMETER OF ZONES ⁽²⁾					
Rear left - Diameter / Power	Cast iron grid 180 / 1500	Cast iron grid 145 / 1000	Cast iron grid 145 / 1000	Gas semi rapid - / 1500	Cast iron grid - / 1530
Power consumption (EC) / Gas Efficiency Energy (EE)	205	205	205	-	57
Front left - Diameter / Power	Cast iron grid 145 / 1000	Gas aux - / 810	Gas - / 800	Gas ultra rapid - / 3600	Gas - / 810
Power consumption (EC) / Gas Efficiency Energy (EE)	203	-	-	-	-
Rear right - Diameter / Power	Cast iron grid 145 / 1000	Gas semi rapid - / 1530	Gas semi rapid - / 1500	Gas rapid - / 2200	Gas-semi rapid - / 1530 W
Power consumption (EC) / Gas Efficiency Energy (EE)	203	57	57	-	57
Front right - Diameter / Power	Cast iron grid 180 / 1000	Gas rapid - / 2440	Gas rapid - / 2440	Gas aux - / 850	Gas - / 2440
Power consumption (EC) / Gas Efficiency Energy (EE)	205	59	59	-	59
Conso. d'énergie pour la plaque de cuisson calculée par kg (EC Plaque de cuisson Wh / kg et EE pour table Gas)	816	205 / 58%	205 / 58%	-	57.66%
OVEN					
Oven energy	Electrical	Electrical	Electrical	Gas	Gas
Positions number	4	6	4	-	2
Cleaning oven	Yes	Yes	Yes	Yes	Yes
Gril power (kW)	1500	1500	1500	2100	1390
OVEN EQUIPMENTS					
Inside light / Door opening	Yes	Yes	Yes	Yes	Yes
Anti-tipping safety grid	1	1	1	1	1
Pastries / Drip tray	- / 1	- / 1	/ 1	- / 1	- / 1
Cavity dimensions (H x L x P) (mm)	337 x 437 x 315	337 x 437 x 315	337 x 437 x 315	315 x 430 x 375	337 x 437 x 315
CONSUMPTIONS - POWER					
Total gas power (kW)	-	6.2	4.78	3.4	7.98
Total electrical power (kW)	8.3	4.3	4.3	2.145	0.015
Electrical connection	230 V / 50 Hz / 27 A	230 V / 50 Hz / 12 A	220-240 V / 50 Hz / 25 A	230 V / 50 Hz / 6 A	230 V / 50 Hz / 6 A
EQUIPMENTS					
Adjustable feet	Yes 2.5cm	Yes 2.5cm	Yes 2.5cm	Yes 2.5cm	Yes 2.5cm
Abattant	Yes	Yes	Yes	Yes	Yes
Delivered with cable	No	Yes 150cm	Yes 150cm	Yes 150cm	Yes 150cm
DIMENSIONS - WEIGHT					
Width (mm)	500	500	500	600	500
Depth (mm)	634	634	634	618	634
Height (mm)	825	825	825	850	825
Dimensions with packaging H x W x D (mm)	890 x 550 x 670	890 x 550 x 670	890 x 550 x 680	930 x 670 x 720	890 x 550 x 670
Net / Gross weight (kg)	31 / 32.9	31 / 32.9	37 / 39	43 / 45	31 / 32.9
EAN CODE					
White	366 076...	794 161 8	794 160 1	794 159 5	795 447 2
Anthracite	366 076...	-	-	-	-
Stainless steel	366 076...	-	-	795 446 5	794 162 5

⁽¹⁾ In accordance with the delegated regulation EU n°65/2014.

⁽²⁾ EE and EC: according to regulations of ecoconception (ecodesign) n°66/2014 14 January 2014.



CATALOGUE SMALL DOMESTIC APPLIANCES 2016/2017

Breakfast

Culinary preparation

Cooking

<http://www.brandt.com/international>

Brandt

Whatever today brings.

Brandt

Whatever today brings.



Content

- Breakfast p 2-13
- Culinary preparation p 14-25
- Cooking p 26-37

<http://www.brandt.com/international>

EDITORIAL

Brandt always places people at the heart of its expertise. That is why we designed adapted appliances, whose only goal is:

Facilitate everyday life.

We have developed simple and ingenious technologies that meet all needs: whether on a daily basis or on special occasions.

Simply because the brandt appliances are designed by men.

BREAKFAST APPLIANCES

PRODUCTS TO REVEAL ALL TASTES

ELECTRIC PRESS PISTON COFFEE MAKER



For the first time, **Brandt** launches the **electric press piston coffee maker**. Excellence in preparation mode to fully release the aromas and scents of coffee, Brandt coffee maker also allows **to directly heat the water** in the pot, to save time and energy.

INTELLIGENT TOUCH CONTROL

Brandt allows you to **sublimate flavours** of your favourite teas by **adjusting the temperature** to suit your taste and the type of beverage.



TOASTER

Ideal for **grilling and browning of crust**. This toaster will delight all grilled baguette lovers!



RANGE SUITABLE FOR EACH DESIRE

DESIGN

Combining stainless steel, alluring **bright colours** and classy **transparent glass**, this latest Brandt range fits all kitchens.



BREAKFAST SETS

Special attention has been given to the designs of Brandt **coffee makers, kettles and toaster** to better integrate into your kitchen in harmony.

COFFEE MAKER FOR THE CONNOISSEUR

PROGRAMMABLE COFFEE MAKER



Waking up with a good smell of coffee in your house. It's possible thanks to Brandt programmable coffee maker up to 24h in advance.



PROLONGING THE COMFORT

You can enjoy your coffee at any time of the day, thanks to **the thermal carafe** which keeps warm coffee.



BREAKFAST ELECTRIC PRESS PISTON COFFEE MAKER



CAF100PX INOX

- Capacity: 10 cups
- 3 temperature positions: 45 - 70 - 90°C
- Glass carafe
- Tank capacity: 1 litre
- Non-slip backing
- Automatic switch off
- Water level indicator
- Backlit on/off switch
- Thermal safety
- Power: 1,000W
- Packing: 4

ELECTRIC PRESS PISTON COFFEE MAKER

THE EASIEST WAY TO MAKE THE TASTIEST COFFEE!

- The greatest advantage of the coffee plunger is its ability to brew ground coffee in a way that produces an even **distribution of aromas** without too high a concentration (as in an espresso). Thanks to the pressure exerted by the plunger, **you can savour the most authentic coffee** tastes!
- Now, **you no longer have to heat the water separately!** Brandt presents the coffee plunger with integrated water heater, to save you time and energy. With **temperature adjustable from 45°C to 90°C**, there's no more risk of boiling your coffee.
- It's practical, with a **10 cups capacity** that means that all of your guests can enjoy coffee from one service.
- Its **elegant stainless steel design** will suit any kitchen.



Step 1: pour water into the reservoir up to the required level, then replace the lid with the plunger fully raised. Press the ON button, select your required temperature and the water will start heating.



Step 2: when the water is at the correct temperature, remove the lid and pour the coffee into the reservoir. Replace the lid and allow the coffee to brew for at least 4 minutes before slowly pushing the plunger down.



Step 3: the pressure from the plunger separates the coffee grains from the liquid, leave the plunger fully depressed and pour your coffee.

BREAKFAST PROGRAMMABLE COFFEE MAKER



CAF1318E BLACK

- Capacity: 18 cups
- LCD screen
- Programmable up to 24h
- Graduated glass carafe
- Tank capacity: 1.8 litre
- Non-slip backing
- Anti-drip
- Automatic switch off
- Homogeneous water spraying
- Water level indicator
- Backlit on/off switch
- Thermal safety
- Power: 1,000W
- Packing: 4

Programmable coffee maker

COFFEE ESSENTIALS!

- This **feature will allow you to program** your coffee **up to 24 hours in advance**.
- Thanks to the **large capacity jug**, you can serve up to **18 people** at once!
- For a more intense coffee, it is able to better allow **water to permeate** the coffee grounds and spread the **aroma of the coffee perfectly within a brew**.
- With **anti-drip system**, even in full preparation of coffee you are able to serve your coffee at any time.



BREAKFAST COFFEE MAKERS 12 AND 15 CUPS



CAF2012XT INOX

- Capacity: 12 cups
- Thermos carafe
- Tank capacity: 1.25 litre
- Non-slip backing
- Anti-drip
- Automatic switch off
- Homogeneous water spraying
- Water level indicator
- Backlit on/off switch
- Thermal safety
- Power: 1,100W
- Packing: 2

“ Prolong the aromatic taste; the **insulated carafe** keeps your coffee warm. ”



CAF815X INOX

- Capacity: 15 cups
- Graduated glass carafe
- Tank capacity: 1.5 litre
- Non-slip backing
- Anti-drip
- Automatic switch off
- Homogeneous water spraying
- Water level indicator
- Backlit on/off switch
- Thermal safety
- Power: 800W
- Packing: 4



“ **ANTI-D RIP SYSTEM**
Prevents coffee from dripping on the plate when the jug is not placed properly or removed from the appliance. ”

BREAKFAST COFFEE MAKERS 18 CUPS



CAF1318S WHITE AND SILVER

- Capacity: 18 cups
- Graduated glass carafe
- Tank capacity: 1.8 litre
- Non-slip backing
- Anti-drip
- Automatic switch off
- Homogeneous water spraying
- Water level indicator
- Backlit on/off switch
- Thermal safety
- Power: 1,000W
- Packing: 4

Available model
BLACK / CAF1318



BREAKFAST ADJUSTABLE TEMPERATURE KETTLES

B02000EN BLACK

- Tank capacity: 1.7 litre
- Slider and touch control
- Adjustable temperature from 40°C to 100°C (per 5°C period)
- Graduated tank (litres)
- 360° rotation on the base
- Automatic switch off to boiling
- Keep warm
- Removable anti-limescale filter
- Hidden heating element
- Thermal safety
- Cable reel
- Power: 2,200W
- Packing: 3



“Integrating the tactile technology into your appliances. The **water temperature** is selected with a simple flick of your finger!”



B01700EX INOX

- Tank capacity: 1.7 litre
- Electronic display and backlit buttons
- 6 preset programs
- Adjustable temperature from 40°C to 100°C (per 5°C period)
- Stainless steel body
- Lid opens on the handle
- Graduated tank (litres)
- 360° rotation on the base
- Automatic switch off to boiling
- Keep warm
- Removable anti-limescale filter
- Hidden heating element
- Thermal safety
- Cable reel
- Power: 2,200W
- Packing: 6

BREAKFAST ADJUSTABLE TEMPERATURE KETTLE

B01200EN NOIR

- Tank capacity: 1.2 litre
- Electronic display and backlit buttons
- 6 preset programs
- Adjustable temperature from 40°C to 100°C (per 5°C period)
- Graduated tank (litres and cups number)
- 360° rotation on the base
- Automatic switch off to boiling
- Keep warm
- Removable anti-limescale filter
- Hidden heating element
- Thermal safety
- Cable reel
- Power: 2,200W
- Packing: 4



Smart kettles that have control over the hot water!

TEA LOVERS WILL BE IN LOVE WITH THE ADJUSTABLE TEMPERATURE

- **Smart Control:** you can select the desire temperature (40°C and 100°C) at an increment of 5°C depending on your taste and the type of beverage. 6 preset for a good result (75°C green tea, 85°C – black tea, 90°C – coffee, 95°C – herbal tea, maintaining the warm at 70°C and boiling at 100°C).
- **Accuracy:** water temperature is shown on the digital display or the touch slider.
- **Functionality:** the anti-slip base and 360° swivel allow you to manipulate very easily. And thanks to the new litre tank, you can prepare the right amount of water.



BREAKFAST KETTLES



B01705S WHITE AND SILVER

- Tank capacity: 1.7 litre
- Switch ON/OFF on the handle
- Anti-limescale filter
- Hidden heating element
- Backlit on/off switch
- Automatic switch off to boiling
- Thermal safety
- Cable reel
- Power: 2,200W
- Packing: 4

B01700X INOX

- Tank capacity: 1.7 litre
- Stainless steel body
- Lid opens on the handle
- 360° base
- Removable anti-limescale filter
- Hidden heating element
- Backlit on/off switch
- Automatic switch off to boiling
- Thermal safety
- Cable reel
- Power: 2,200W
- Packing: 6



B01215R RED

- Tank capacity: 1.2 litre
- Stainless steel body with metal red finish
- Lid opens on the handle
- 360° base
- Removable anti-limescale filter
- Hidden heating element
- Backlit on/off switch
- Automatic switch off to boiling
- Thermal safety
- Cable reel
- Power: 2,200W
- Packing: 4

Available model
CHROME / B01215MI



BREAKFAST THE SMART TEAPOT



TH1700EV GLASS

- Tank capacity: 1.7 litre
- LED screen
- Temperature can be adjusted from 50° to 100 °C in 5 °C increments
- Temperature control on handle
- Blue lighting during operation
- "Schott®" glass body
- Stainless steel tea strainer
- Graduated reservoir (in numbers of cups)
- 360°C base
- Automatic cut-off at boil
- Keep warm button
- Removable limescale filter
- Integrated heating element
- Thermal safety cut-out
- Cable reel
- Power: 2,200W
- Packing: 4

“Tip: to keep your teapot immaculate at all times, remember to clean it with water with a low mineral content.”

New: the electric smart teapot

TO PREPARE TEA AS IT SHOULD BE PREPARED!



- This is a smart product with **two functions**: it allows you to brew your tea directly in the kettle thanks to the **removable stainless steel strainer**.
- Every tea has its own temperature! It is **programmable** and allows you to manually adjust the water temperature from 50°C to 100°C in 5°C segments. As such, "tea addicts" can make green tea at 75°C, black tea at 85°C and herbal teas at 95°C.
- The **1.7 litre capacity (8 cups)** is ideal for tea time with friends or breakfast with the family.
- Chic and elegant, this teapot has a **Schott® glass body (resistant to high temperatures)** and is **illuminated in blue** during operation.



BREAKFAST THE JUICE EXTRACTOR



SLJ200 BLACK AND GREEN

- Tank capacity: unlimited
- Pours directly into the glass
- Touch sensitive control panel
- Protective cover
- 2 stainless steel filters, 2 filling tubes
- 2 outputs: one for juice, one for waste (skin, pips, etc.)
- 2 containers (1 litre and 0.8 litre)
- Reverse function for blockages
- Anti-drip system
- 1 cleaning brush
- 67rpm
- Power: 200W
- Packing: 2

Juice Extractor

THE ESSENTIAL FOR HOME MADE JUICES!



- Unlike a standard blender, **the juice extractor spins at low speeds** (67rpm) in order to press the fruit for longer, at cold temperatures and in a gentler fashion. As such, **the maximum amount of juice** is extracted with more vitamins (especially A and C) and less froth. Everything you need for extra pulp!
- Practical, it is supplied with **2 different size filters** to prepare juice the way you want, with or without pulp.
- The **two output trays** allow you to retrieve the juice on one side and waste on the other (pips, skin, etc.).
- Easy to assemble and disassemble, **the parts of the device** are all removable and **can be washed under the tap or in the dishwasher** for easier cleaning!
- The **touch sensitive control panel** allows you to navigate through the devices different functions with ease.



BREAKFAST CITRUS PRESS



PAI-40V WHITE AND GREEN

- Pours directly into the glass
- 2 cones for citrus fruit of different sizes
- Protective cover
- Stainless steel sieve
- Non-slip feet
- Compartment for cable storage
- Lid opens on the handle
- 360° base
- Easy cleaning in dishwasher
- Anti-drip system
- Power: 40W
- Packing: 6



Elegant and colorful juicer

- Compact and well thought, this juicer is ultra-convenient with its **anti-drip system** and its various **elements that go in the dishwasher!**
- Clever, the **double cone** allows to squeeze citrus fruit of different sizes, and to prepare lemon juice as well as orange juice.



BREAKFAST TOASTER



GP2000EW WHITE AND SILVER

- Suitable for any type of bread
- 2 slots 25 x 3.7cm
- Electronic adjustable of toasting time (red LED)
- Baguette toasting function
- Reheating and defrosting function
- Rack for warming pasties
- 7 browning levels with indicator lights
- Very high lift
- Stop-eject
- Cold walls
- Crumb drawer
- Cable reel
- Power: 1,400W
- Packing: 4

TOASTER FOR EVERY NEED!

BRANDT EXCEEDS ALL NEEDS; OFFERING A FULL RANGE OF VARIOUS FUNCTIONS AND CAPACITIES

- You can control the heating power for a precise browning with **6 to 7 levels for browning**.
- Ideal for toasted baguette lovers, grid-stick function toast the sides of the crust without over-cooking (Blackening) then.
- Additional **defrost function** to help saving your time.



- The grill to **warm all your pastries**.
- Thanks to the ingenious **pop-up mechanism**, you can toast the smallest slice of bread at ease without the fear of burning your finger.



BREAKFAST TOASTERS




GP1000EW WHITE AND SILVER

- Suitable for any type of bread
- 1 slot 25 x 3.7cm
- Electronic adjustable of toasting time (red LED)
- Baguette toasting function
- Reheating and defrosting function
- Rack for warming pasties
- 7 browning levels with indicator lights
- Very high lift
- Stop-eject
- Cold walls
- Crumb drawer
- Cable reel
- Power: 1,400W
- Packing: 4

GP100X INOX

- Suitable for any type of bread
- 1 slot 25 x 3.8cm
- Reheating and defrosting function
- Rack for warming pasties
- 7 browning levels with indicator lights
- Very high lift
- Stop-eject
- Cold walls
- Crumb drawer
- Cable reel
- Power: 800W
- Packing: 4



A RANGE THAT MEET THE NEEDS OF EVERYONE

PRODUCTS THAT FITS



Brandt food preparation gadgets are **specially designed to meet the desires of the entire family and the multiple needs of any households.**

Whether you are cooking alone or in a group, you can always choose among the **different capacities and bowl** sizes. Pastry kitchen machine with multiple accessories and multifunction food processor, blenders and choppers, ice cream makers, vacuum sealers; there will always be **a product to suit your needs.**

AESTHETICS & FUNTIONALITY

Choose from bright colours, stainless steel, round shapes or pure understated profiles... Brandt offers a wide range of products with **multiple designs for all tastes and cooking styles.**



PERFORMANCE AND PRECISION, LIKE A PROFESSIONAL CHEF

PASTRY MACHINE

Known for its reliability **for multitasking and its robust design**, the new Brandt pastry kitchen machine take on any simple to sophisticated culinary challenges. **The wide range of accessories** enables you the freedom to showcase your cooking desires and talent.



ICE CREAM MAKERS

Rediscover the pleasure of homemade! With Brandt ice cream makers, impress your friends by performing **refreshing sorbets and delicate ice creams** rapidly.

USEFUL PRODUCTS THAT MAKE DAILY COOKING SUCH A BREEZE

HAND BLENDER

With four interchangeable blades, you can blend, mix, crush ice and even whip egg whites with just a turn of the blade! The ultra slim and light body lets you it handle with ease.



MINI CHOPPER

With the new chopper, you can mix the meat, vegetables, herbs, nuts and even hot dishes effortlessly thanks to its **shock resistant thermal glass bowl**. You can **prepare large amount of food** with its large capacity of litre.



VACUUM SEALER

Cooking meals ahead of the week or having to store the remainder. Brandt vacuum sealer can **hermetically preserve all the flavours of your food** in the food bags compatible to store in the refrigerator, freezer or use it in the microwave for re-heating.





AVAILABLE
EARLY IN 2017

KMC1257BS SILVER

- Plastic body
- Heated bowl capacity 5.5 litres
- Glass Blender bowl 1.5 litre - 4 blades
- LCD screen
- Temperature can be adjusted from 30°C to 140°C
- Timer from 0 to 180 minutes
- 9 preset programmes
- 6 speeds + pulse in standard mode
- 4 mixing speeds in cooking mode
- Pastry kit: whisk, dough hook, flat and flexible beaters
- Accessories: meat grinder, grater/slicer and pasta accessories
- Cookbook
- Anti-splash lid
- Suction foot
- Removable and washable elements
- Power: 1,200W
- Packing: 1

KMC1254BS SILVER

- Plastic body
- Heated bowl capacity 5.5 litres
- Glass Blender bowl 1.5 litre - 4 blades
- LCD screen
- Temperature can be adjusted from 30 to 140°C
- Timer from 0 to 180 minutes
- 9 preset programmes
- 6 speeds + pulse in standard mode
- 4 mixing speeds in cooking mode
- Pastry kit: whisk, dough hook, flat beater
- Accessories: meat grinder, grater/slicer
- Mixer for hot dishes
- Cookbook
- Anti-splash lid
- Suction foot
- Removable and washable elements
- Power: 1,200W
- Packing: 1



AVAILABLE
EARLY IN 2017

Let your pastry machine help you

REALISE ALL YOUR DESIRES!

You can use it in three ways.

- In "standard" mode, it offers six operating speeds and pulse function with the option of adjusting the mixing time. In this mode, the whisk, dough hook and flat beater allow you to make whipped cream, cookies and even homemade bread dough! The cook function is not activated.
- In "expert" mode, control the cooking by adjusting the time and temperature yourself. Your cooked recipes are made to order!
- In "automatic" mode, nine traditional recipes have preset programmes: beef bourguignon, blanquette de veau, risotto, spaghetti bolognese, soup, béchamel sauce, rice pudding, chocolate fudge, custard. Simply follow the instructions in the recipe book to delight the whole family.

Time can be adjusted from 0 to 180 minutes: to the second up to 9 minutes 59', to the minute from 10 to 30 minutes and in 5 minute segments above that.

The temperature can be adjusted to one degree from 30°C to 140°C.

It comes with **its own recipe book**, illustrated with the accessories needed for each recipe (15 recipes in "standard" mode, 21 recipes in "expert" mode and the nine traditional recipes available in autoprogramme).



KM1557BG INOX

- Stainless steel body
- Stainless steel mixing bowl capacity: 5.5 litres
- Glass blender bowl 1.6 litre - 6 blades
- Pastry kit: Whisk, Dough hook and Beater
- Accessories: meat grinder, sausage accessories, grater/slicer and accessories for pasta
- Storage/Accessories case
- Cookbook
- 6 mixing speeds + pulse function
- Anti-splash lid
- Suction foot
- Removable and washable elements to dishwasher
- Power: 1,500W
- Packing: 1

ACCESSORIES INCLUDED:



KM1554B INOX

- Stainless steel body
- Stainless steel mixing bowl capacity: 5.5 litres
- Glass blender bowl 1.6 litre - 6 blades
- Pastry kit: Whisk, Dough hook and Beater
- Cookbook
- 6 mixing speeds + pulse function
- Anti-splash lid
- Suction foot
- Removable and washable elements to dishwasher
- Power: 1,500W
- Packing: 1

ACCESSORIES INCLUDED:



CULINARY PREPARATION

ACCESSORIES FOR FOOD PROCESSORS FOR KM1557BG AND KM1554B

KPM1554 INOX

- **Stainless steel**
- **Meat grinder:**
1 grid to chop finely,
1 medium and 1 large
- **Sausage accessories:**
1 tube fine sausage
and one large sausage
- **Accessories for pasta:**
1 disk for fin spaghetti,
1 for thick spaghetti,
1 disk for tagliatelle,
1 for macaroni,
1 for fettuccini
- **Packing:** 4



FP1554 INOX

- **Stainless steel**
- **Grater/slicer:**
1 disk for grating finely,
1 for thick grating
and 1 for slicing



WITH THE FOOD PROCESSOR KM1557BG,

YOU WILL NOT MISS ANYTHING IN YOUR KITCHEN!

- **8 functions:** thanks to the food processor and all its accessories, you can mix, beating, whipping, kneading, chopping, slicing, grating and make pasta.
- Its **6 speeds and pulse function** will ensure you the best result depending on the type of preparation to make.
- With the **bowl large capacity 5.5 liter in stainless steel**, you can make recipes for all family!
- Its **ultra-resistant glass blender** will support you in preparing delicious cocktails, soups and other smoothies.
- The **metal body** provide stability and strength in use.
- **Coobook** and **storage case** included!



CULINARY PREPARATION

FOOD PROCESSORS

KM845BR RED

- **Plastic body**
- **Stainless steel bowl capacity**
4.3 litres
- **Glass blender bowl 1.5 litre**
- 4 blades
- 6 speeds + pulse function
- **Pastry kit:** whisk, dough hook
and flat beater
- **Accessories:** meat grinder,
grater/slicer
- Anti-splash lid
- Suction foot
- Power: 1,000W
- Packing: 2



KM544BR RED

- **Plastic body**
- **Stainless steel bowl capacity:** 4 litres
- **Glass blender bowl 1.5 litre**
- 4 blades
- **Pastry kit:** Whisk, Dough hook
and Beater
- 6 speeds + pulse function
- Anti-splash lid
- Suction foot
- Removable and washable
elements to dishwasher
- Power: 450W
- Packing: 2





BLE615EG INOX

- Useful capacity: 1.5 litre
- Graduated glass bowl with pouring spout and handle
- Stainless steel body
- 4 stainless steel blades
- 2 speeds + pulse function
- Function Ice Crush
- Suction foot
- Removable and washable elements to dishwasher
- Power: 600W
- Packing: 4

“FUNCTION ICE CRUSH
Convenient for perfectly crushed ice!”



BLE515R RED

- Useful capacity: 1.5 litre
- Graduated glass bowl with pouring spout and handle
- 3 stainless steel blades
- 2 speeds + pulse function
- Suction foot
- Removable and washable elements to dishwasher
- Power: 500W
- Packing: 2



BLE250R RED

- Useful capacity: 0.8 litre
- Graduated glass bowl with pouring spout and handle
- Stainless steel body
- 4 stainless steel blades
- 2 speeds + pulse function
- Suction foot
- Removable and washable elements to dishwasher
- Power: 250W
- Packing: 4

HAC1200BG WHITE AND GREY

- 3 stainless steel disks (thin 3mm/medium 5mm/ large 7mm)
- Chopping plate
- Capacity (kg/min): 2
- Sausage accessories
- Kebbe accessories
- Meat plunger
- Reverse button
- ON/OFF button
- Plastic body
- Non-slip feet
- Dishwasher safe elements
- Power: 1,200W
- Packing: 4

ACCESSORIES INCLUDED:



HAC300V GREEN

- Useful capacity: 1 litre
- Graduated glass bowl
- 2 stainless steel blades
- Anti-slip base
- Removable and washable elements to dishwasher
- Power: 300W



THE LARGE CAPACITY CHOPPER

EFFICIENT AND COMPACT

- With a 1 litre capacity, you can effortlessly chop large quantity of the food at once.
- Meat, vegetables, herbs, nuts, hot dishes... nothing will resist you!
- Robust thanks to its new and graduated glass bowl.

BENEFITS OF THE GLASS BOWL

- Resistant to thermal shock
- Do not stain
- Do not scratch
- Do not retain odors
- Dishwasher safe




CULINARY PREPARATION

HAND BLENDER

MX5SLIMV WHITE AND GREEN

- Slim body (under 4cm in diameter) and lightweight (520g)
- 4 interchangeable blades: mix, mash, emulsion and crush ice
- Electronic speed control
- 4 stainless steel blades (interchangeable)
- Non-slip surface body
- Mini chopper - 2 blades
- Storage case
- Removable and washable elements to dishwasher
- Power: 400W
- Packing: 4



NEW: ULTRA-SLIM HAND BLENDER

ESSENTIAL FOR ALL SORTS OF DELICIOUS PREPARATIONS!

- **Guaranteed ergonomics** with ultra-slim 4cm diameter body and lightweight (520g).
- **The Four blades** are interchangeable, allowing you to blend, mix, whip cream and mayonnaise and even crush ice!
- Don't lose any more accessories thanks to the **storage case**.
- **The mini chopper** allows you to quickly and effortlessly chop meats, vegetables, herbs, etc.



CULINARY PREPARATION

ICE CREAM MAKERS

SOR15EF FUCHSIA

- Capacity: 1.5 litre
- Cold accumulator from 10h to 12h (freezer)
- LCD screen with electronic control
- Timer 30min
- Removable bowl
- Accessories: ice cream spoon and lid
- Power: 9.5W
- Packing: 4



Available models
RED / SOR15ER
PURPLE / SOR15EP



DELICIOUS HOMEMADE SORBETS ARE EASY TO MAKE WITH OUR ICE CREAM MAKER!

- **Homemade sorbet is good for your figure:** choose your ingredients to suit your tastes! Fruit, water, a little sugar and that's it!
- **Simple and practical to use:** half fill the appliance with mixed fruit and the other half with sugar syrup. The sorbet maker does the rest!
- Change quantities using the **two capacities:** 1.5 litre for large appetites and 0.5 litre for a small treat!



SOR05P PURPLE

- Capacity: 0.5 litre
- Cold accumulator from 10h to 12h (freezer)
- ON/OFF button
- 15 to 25min preparation time depending on desired consistency
- Power: 9.5W
- 65dB(A)
- Packing: 4

Available model
FUCHSIA / SOR05F



New: mini-format, mini-size, mini-price!

- **Convenient thanks to the mini format,** can be stored in smaller freezers and large chest freezers. Ideal if you lack storage space!
- **0.5 litre mini capacity** is also suitable for single people, couples and parents who are looking new tastes for their children!
- It can adapt to your tastes with the option of preparing several flavours at once, in small quantities, in line with the recipe.

Brandt's mini ice maker makers come in bright colours and mean that it's never been easier to create your own delicious homemade ice cream!

SOU130S

- Suction capacity 12 litres/min
- Pressure 0.8 bar
- Vacuum and seal automatically
- Vacuum in boxes and bottles
- Adjustable for dry/wet foods
- Adjustable vacuum intensity
- Delivery with 2 storage boxes, one vacuum cork, 2 rolls of bags (22cm x 3m + 28cm x 3m)
- Automatic or manual vacuum shut-off
- Power indicator light
- Compartment for storing cable
- Power: 130W
- Packing: 1



5 functions for this new vacuum sealer



- **Sealing:** adapt to your needs by sealing your bags according to the size of the contents.
- **Vacuum + seal bags:** keep longer your food thanks to 2 rolls of bags supplied and the bag vacuum and seal function.
- **Create a vacuum in each of the boxes** supplied with the vacuum sealer.
- **Create a vacuum in a bottle:** keep open bottles of wine for up to 10 days with our vacuum sealing cork!
- **Marinate meat or fish:** This function "marinate" is done in record time. Rather than generally expect overnight in the refrigerator, an up-and-coming air for 30 minutes in the box allows to accelerate the opening of food pores; the flavors permeate in only 30 minutes.



SOU-110V

WHITE AND GREEN

- Suction capacity: 9 litres/min
- Pressure 0.7 bar
- Vacuum and seal automatically
- Possibility of welding without vacuum (for delicate foods)
- Capacitive touch control
- Delivered with 10 high strength bags (6 bags 22 x 30cm and 4 bags 28 x 40cm)
- Automatic or manual shut-off vacuum
- Power indicator light
- Anti-slip feet
- Compartment for storing cable
- Power: 110W
- Packing: 4



SAC-28R

TRANSPARENT RESIZABLE

- Rolls of food bags
- 2 rolls of 5 meters
- Washable and reusable
- Width 28cm
- Compatible refrigerator, freezer, microwave and water-bath
- Packing: 4



Why use vacuum sealer?

- **For healthier cooking:** vacuum sealer allows you to lock in all of the nutritious elements of foods and needs no additives.
- **To save time:** prepare food in advance and vacuum sealer them to save you trips to the shops!
- **Save money:** foods can be stored up to 5 times as long, which reduces waste. Don't throw it away! Use vacuum sealer.

A little bonus: vacuum sealer cooking helps preserve their taste!





EXEMPLARY COOKING QUALITY

COOKING EXPERTISE


Brandt, with its **expertise in built-in cooking** offers a **full range of small domestic cooking appliances** that also delivers its good quality and performance.

INDUCTION, FOR MASTERED COOKING



Excellence cooking method. Induction technology with **10 heating powers** that are easily accessible on the induction hobs provides the **same efficiency and accuracy as professional hobs** that give you a peace of mind with the safety packs in place.

TASTE THE DIFFERENCE WITH CIRCULATING HEAT



Available in the ovens, the **circulating heat diffuses temperature evenly throughout the oven cavity**. This process allows even cooking while presenting the texture of the meat, as well as the fragrance and flavor.

AESTHETIC PRODUCTS FOR AN OPTIMAL EFFICIENCY

INDUCTION HOBBS

To ease your daily life and save time, most of Brandt induction hobs have a **full glass surface of a sensor button with slider and a booster function**. You can now cook like a chef and clear your dishes in a wink of an eye.



FREE STANDING OVENS

Sleek designs to match the current trends in **kitchens soft sensitive touch controls, full glass doors, non-stick cavities**. The range of Brandt mini ovens was designed to fit your needs and supporting you in your daily life.

PLANCHA

Brandt plancha will put a little bit of sun in your meals! Its non-stick plate will be efficient for meats, fishes or delicate dishes. A healthy coating which doesn't require to add fat.



A FRIENDLY RANGE TO ENJOY IT IN FAMILY AND BETWEEN FRIENDS

A FASHION DESIGN

With their **elegancy and their bicolor look**, our raclette and fondue kits and our crepe appliances will delight your dinners.



FOR EFFICIENT MEALS

Thanks to our appliances **heat power**, nobody will wait his turn to feast. This range will adapt to **everybody and to all desires!**



EASY MAINTENANCE

Most of our raclette and fondue kits are **removable and adjustable for the dishwasher** for an easy maintenance.



COOKING FREE STANDING OVENS 40 LITRES



“ Thanks to its **silk-screened cooking guide** on the door, you will have all the information you need to cook your dishes. ”

250°C	200°C	240°C	200°C	200°C
20 min	20 min	15 min	35 min	45 min

FC405MHS SILVER

- Circulating heat Multifunction
- Volume: 40 litres
- Turn spit
- Electronic programming
- Sensitive touch controls (time and temperature)
- Soft Touch lever (cooking mode selector)
- Full glass door double pane
- Inside lighting
- Adjustable thermostat from 50°C to 250°C
- Timer: 120min
- 5 cooking positions: Circulating heat Multifunction, Traditional, ventilated grill, Grill and Turn spit
- 4 shelves levels
- Accessories: turn spit, 1 drip tray dish, 1 grid and 1 pliers to take dishes
- No-stick coating cavity
- Power: 2,100W
- Packing: 1

Available model
BLACK / FC405MHB



FC405MEB BLACK

- Circulating heat Multifunction
- Volume: 40 litres
- Turn spit
- Backlighted display
- Electronic programming
- Sensitive touch controls
- Full glass door double pane
- Inside lighting
- Adjustable thermostat from 50°C to 250°C
- Timer: 120min
- 4 cooking positions: circulating heat Multifunction, Traditional, Ventilated grill and Turn spit
- Option key with direct access: pizza, defrosting, toast and keep warm functions
- 4 shelves levels
- Accessories: turn spit, 1 drip tray dish, 1 grid and 1 pliers to take dishes
- No-stick coating cavity
- Power: 2,100W
- Packing: 1

Available model
SILVER / FC405MES



COOKING FREE STANDING OVENS 40 LITRES



FC405MW WHITE

- Circulating heat Multifunction
- Volume: 40 litres
- Turn Spit
- Mechanical programming
- 3 Soft Touch levers (temperature setting, timer and cooking mode selector)
- Full glass door with double pane
- Inside lighting
- Adjustable thermostat from 50°C to 250°C
- Timer: 120min
- 5 cooking positions: circulating heat Multifunction, Traditional, Ventilated grill, Grill and Turn spit
- 4 shelves levels
- Accessories: turn spit, 1 drip tray dish, 1 grid and 1 pliers to take dishes
- Power indicator light
- No-stick coating cavity
- Power: 2,100W
- Packing: 1

Cooking guide

250°C	200°C	240°C	200°C	200°C
20 min	20 min	15 min	35 min	45 min

Available models
BLACK / FC405MB
MIRROR DOOR / FC405MI

Elegancy and functionality
on this Mirror model



SHELVES

You can **adjust the tray height at 4 different levels** according to the dishes which you want to cook. For example, when you cook a macaroni gratin and you want the upper part is more cooked, use the 1st or the 2nd shelf. To roast a chicken, use the 3rd one.

(40 litres models)



COOKING FREE STANDING OVENS 26 AND 21 LITRES



FC265MB BLACK

- Circulating heat Multifunction
- Volume: 26 litres
- Turn spit
- Mechanical programming
- 3 Soft Touch levers (temperature setting, timer and cooking mode selector)
- Full glass door double pane
- Adjustable thermostat from 50°C to 250°C
- Timer: 120min
- 5 cooking positions: Circulating heat Multifunction, Traditional, Ventilated grill and Turn spit
- 4 shelves levels
- Accessories: turn spit, 1 drip tray dish, 1 grid and 1 pliers to take dishes
- Power indicator light
- No-stick coating cavity
- Power: 1,500W
- Packing: 1

Available model
WHITE / FC265MW



“ INSULATION

The construction and Brandt ovens insulation allow **better cooking results** while consuming **10 to 20% less energy.** ”

FC215MB BLACK

- Circulating heat Multifunction
- Volume: 21 litres
- Turn spit
- Mechanical programming
- 3 Soft Touch levers (temperature setting, timer and cooking mode selector)
- Full glass door double pane
- Adjustable thermostat from 50°C to 250°C
- Timer: 120min
- 5 cooking positions: Circulating heat Multifunction, Traditional, Ventilated grill, Grill and bottom element + fan
- 3 shelves levels
- Accessories: 1 drip tray dish, 1 grid and 1 pliers to take dishes
- Power indicator light
- No-stick coating cavity
- Power: 1,380W
- Packing: 1



Available model
WHITE / FC215MW



COOKING FREE STANDING OVEN 16 LITRES

FC160MW WHITE

- Circulating heat Multifunction
- Volume: 16 litres
- Mechanical programming
- 3 levers: (temperature settings, timer and cooking mode selector)
- Double glass door
- Adjustable thermostat from 50°C to 250°C
- 120min timer
- 4 cooking positions: Circulating heat Multifunction, Traditional, Ventilated grill, Grill
- 3 shelves levels
- Accessories: 1 drip tray dish, 1 grid and 1 pliers to take dishes
- Power indicator light
- No-stick coating cavity
- Power: 1,380W
- Packing: 1



Double glass door

This exclusive double glass door offers a **better isolation and an optimal energetic efficiency** thanks to a decrease limited heat and a bigger safety of use.



COOKING FREE STANDING INDUCTION HOBS



TI2FSOFT BLACK

- Full glass area
- Soft Touch frame
- Sensitive touch controls
- Slider controls
- 2 induction zones:
 - Left: 12cm to 26cm – 2,000W
 - Right: 12cm to 26cm – 1,400W
- 10 power levels + Booster
- 4 functions:
 - Simmer, Frying, Boiling and Keep warm
- Timer: 180min
- Safety pack
- Sound signal at the end of cooking
- Power: 3,400W
- Packing: 2

TI1FSOFT BLACK


- Full glass area
- Soft Touch frame
- Sensitive touch controls
- 1 induction zone:
 - 12cm to 26cm – 2,000W
- 10 power levels
- Keep warm function
 - Timer: 180min
- Safety pack
- Sound signal at the end of cooking
- Power: 2,000W
- Packing: 4



INDUCTION

AN ACCURATE COOKING

Thanks to the induction technology, the cooking hob generates heat exclusively on contact with cookware through a phenomenon of “induced” current produced in the bottom of this cookware, which instantaneously raises its temperature. This heat is then transferred to the food, which is simmered or are seared depending of your settings.



COOKING FREE STANDING INDUCTION HOBS



TISLIM BLACK

- Full glass area
- Extra slim (4cm)
- Sensitive touch controls
- Slider controls
- 1 induction zone:
 - 12cm to 26cm – 2,000W
- 10 power levels + Booster
- 4 functions:
 - Simmer, Frying, Boiling and keep warm
- Timer: 180min
- Safety pack
- Sound signal at the end of cooking
- Power: 2,000W
- Packing: 4

EXTRA SLIM INDUCTION HOB

POWERFUL, FAST AND DESIGN!

- Extra slim (4cm), this cooking hob can be put everywhere. And with its refine design, hob will incorporate in any kitchen.
- Efficient, the **10 heat power** and the **Booster function** offer you a great cooking precision.
- Useful, its **3 hours timer** allows to simmer dishes without watching them, and the **keep warm function** keep your food at temperature without changing the taste.
- Simple, as the majority of our induction hobs, its **full glass area** and its sensitive touch controls will **make cleaning easier**.



Safety pack: for a safe use

- **Control panel lock** which avoid the startup of the hob or block the selected settings.
- **Anti-overheating safety**, ideal to prevent all risk of self-ignition of oil.
- **Automatic stop system** is useful if you forget your dish on cooking mode for an extended period of time, the hob switches off automatically.
- **Cookware detection** system.
- Protection against **overcurrent**, or anomalies of voltage.



COOKING FREE STANDING INDUCTION HOBS



TI2010S SILVER

- Full glass area
- Sensitive touch controls
- Slider controls
- 1 induction zone: 12cm to 26cm – 2,000W
- 10 power levels + Booster
- 4 functions: Simmer, Frying, Boiling, and Keep warm
- Timer: 180min
- Safety pack
- Sound signal at the end of cooking
- Power: 2,000W
- Packing: 4

Available model
WHITE / TI2010W



TI2005 BLACK

- Sensitive touch controls
- Slider controls
- 1 induction zone: 12cm to 26cm – 2,000W
- 8 power levels + Booster
- Keep warm function
- Timer: 180min
- Safety pack
- Sound signal at the end of cooking
- Power: 2,000W
- Packing: 4



BRANDT INDUCTION

EFFICIENCY AND COOKING PRECISION

- Sensitive touch controls offer a great settings precision with 8 to 10 power levels to adapt to all the dishes.
- With the slider controls, use your induction like your smartphone! You can select your heat power thanks to a simple finger sliding.
- Thanks to **Booster function**, you can access directly to the maximum zone power. Ideal to boil water quickly.



COOKING DEEP FRYERS



FRI2202E INOX

- Tank capacity (oil): 5 litres
- Basket capacity (chips), 2 possibilities:
 - 1 basket: 1.6kg
 - 2 baskets: 800g
- Tank and stainless steel lid
- Adjustable thermostat from 130°C to 190°C
- Timer
- Viewing window
- Cold zone in the tank bottom
- Stainless steel anti-fat filter
- Components totally removable
- Easy cleaning in the dishwasher (except the heating element)
- Storage compartment for the cable
- Power: 3,000W
- Packing: 1

“ THIS WINDOW IS CONVENIENT

You can monitor the cooking without opening the lid thanks to the **viewing window**. ”

“ HEALTHIER COOKING

The cold zone professional system of these deep fryers avoids to burn food's particles in the tank bottom. ”

FRI2102ER RED

- Tank capacity (oil): 3 litres
- Basket capacity (chips): 1kg
- Backlight display and digital controls
- Stainless steel tank
- Adjustable thermostat from 150°C to 180°C
- 5 cooking programmes
- Viewing window
- Cold zone in the tank bottom
- Stainless steel anti-fat filter
- Components totally removable
- Easy cleaning in the dishwasher (except the heating element)
- Storage compartment for cable
- Power: 2,000W
- Packing: 2

Available model
STAINLESS STEEL / FRI2102E



Semi-professional deep fryer, high in color!

This new Brandt deep fryer is adorned with **red stainless steel**: a first very stylish on the market.



COOKING DEEP FRYERS



FRI2500E WHITE AND PURPLE

- Tank capacity (oil): 2.5 litres
- Basket capacity (chips): 1.2kg
- Adjustable thermostat from 140°C to 190°C
- Electronic timer with removable LCD display
- Viewing window
- Thermal safety device
- Metallic anti-fat filter
- Removable tank suitable with dishwasher for an easy cleaning
- Storage compartment for cable
- Power: 2,000W
- Packing: 2

COOKING PLANCHA



PLA1322B BLACK

- Cooking area with non-stick coating 46cm x 25.5cm
- Adjustable thermostat from 80°C to 200°C
- Cold handles
- 5 thermostat positions
- Power indicator light
- Removable collecting tray for cooking juices
- Power: 2,200W
- Packing: 2

BRANDT DEEP FRYER

TO SHARE CONVIVIAL MOMENTS!

- **Ingenious**, the removable LCD display to monitor your cooking from your couch!
- **Precision** thanks to the electronic timer.



WITH THE BRANDT PLANCHA,

SOME SUNSHINE IN YOUR MEALS!

- Thanks to the Brandt plancha, the barbecues can be done **inside or outside**.
- Its **non-stick coating** will allow you to cook meat, fish and vegetables without fat.



FRIENDLY COOKING RACLETTE GRILL



RAC2X4MG RED AND BLACK

- 2 adjustable raclette grill for 4 or 8 people
- Non-stick aluminum grill in cast-iron
- Ideal to adapt all types of tables
- 8 anti-stick pans
- Power indicator light
- ON/OFF button
- Easy cleaning in the dishwasher of removable elements
- Power: 2 x 700W
- Packing: 4



THE RACLETTE GRILL "TABLE RUNNER"

FOR ALL YOUR DESIRE

You can also make grilled dishes thanks to its cooking table in anti-stick cast-iron of aluminum!

- Thanks to its rectangular format and its two removable parts, you can use the small appliance only for 4 people, or connect the two small appliances for 8 people.
- Circular table, angle table, rectangular table: the appliance is adjustable to allow an easy access all the guests.
- For an easy maintenance, you can clean the pans and the cooking plate in the dishwasher.



Rectangular table



Square table

8 people



4 people

FRIENDLY COOKING CIRCULAR RACLETTE GRILL AND FONDUE SET

RAC800MG RED AND BLACK

- Non-stick aluminum grill
- 8 people
- Circular format
- 8 anti-stick pans
- Power indicator light
- Easy cleaning in the dishwasher of removable elements
- Power: 900W
- Packing: 4



CIRCULAR RACLETTE GRILL

- Enjoy in family or between friends thanks to its circular format perfect for convivial and warm meals!
- Make **grilled food** thanks to its anti-stick aluminum grill.
- All elements are removable and compatible at dishwasher to facilitate maintenance and cleaning!



FON800NR RED AND BLACK

- 8 people
- Capacity of fondue pot: 2 litres
- 8 fondue forks
- Adjustable thermostat up to 170°C (4 positions for 4 types of fondue)
- Cold handles
- Removable fondue pot and washable on dishwasher
- Power indicator light
- Power: 1,000W
- Packing: 4

FONDUE SET

TO ENJOY IN FAMILY OR BETWEEN FRIENDS

- Polyvalent: Savoyard fondue, Chinese, Bourguignon or chocolate, thanks to its adjustable thermostat, melt for the one of your desire!
- Fashion, its elegant design will enhance your dinners!
- Ingenious, its cold handles allow an optimal user comfort.





SUP515 RED AND BLACK

- **Sushi party pack**
- **1 rice cooker**
- **1 recipe book**
- **Accessories:** mold kits, accessories for maki and futomakis, and Bamboo mat uramakis supplied
- Rice cooker capacity: 1.2 litres (800g of rice)
- Power: 500W
- Packing: 2

JAPANESE FOOD DESIRE?

THE NEW BRANDT RICE COOKER ALLOWS YOU TO MAKE EASY ASIAN CULINARY SPECIALTIES

- This 1.2 litres cooker allows to cook a large quantity of rice, but also pasta and steam vegetables
- A complete pack is included to make all sort of makis, futomakis and California rolls.

An appliance with a complete pack

TO MAKE MAKIS, FUTOMAKIS AND URAMAKIS (CALIFORNIA ROLLS):

Make yourself easily your makis and futomakis thanks to baking pan included in the pack.



1. Put a nori paper on the baking pan.



2. Put the garnish of your choice (rice, salmon, pineapple, avocado, etc...)



3. Press the whole thanks to the pressor



4. Take a long knife and cut in slice following the baking pan notches



5. A perfect result! You can enjoy it.

Make also your own California makis (uramaki) thanks to the bamboo mat supplied



1. Put a plastic wrap in your mat. Put a nori paper and garnish it.



2. Roll the maki with the help of the mat.



3. Unroll and cut the roll in 6 makis.




CR1500NR RED AND BLACK

- 2 plates supplied: 7 small pancakes (11cm) or 1 large pancake (35cm)
- Anti-stick cast-iron aluminum plates
- Removable and washable plates in the dishwasher
- Adjustable thermostat up to 240°C
- Keep warm position at 80°C
- Power: 1,500W
- Power indicator light
- Accessories: 1 large ladle, 1 small ladle, 2 wooden spatulas, and a scraper to spread the batter



ACCESSORIES INCLUDED:



MULTI-FORMAT PANCAKE MAKER

- 2 formats of your choice: Make a large bretonne pancake or 7 small pancakes to enjoy in family or between friends.
- Chose the burnishing of your pancakes thanks to the cooking time setting.
- After cooking, keep your pancakes warm without drying it thanks to the 80°C position.
- The cleaning is easy thanks to the removable and compatible plates in the dishwasher.



NOTES

NOTES

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.[illegible]

Brandt

www.brandt.com/international



Brandt

Whatever today brings.

89 boulevard Franklin Roosevelt - 92854 Rueil-Malmaison Cedex - France

Edition July 2016

No contractual photos. Bearing in mind that our products are in constant evolution, we reserve the right to make any modifications to the product characteristics that we feel necessary
Total or partial reproduction of these photos is strictly forbidden.



CATALOGUE SMALL DOMESTIC APPLIANCES 2016/2017

Technical charts

www.brandt.com/international

Brandt

Whatever today brings.

TECHNICAL CHARTS BREAKFAST APPLIANCES

COFFEE MAKERS



DATASHEET	PISTON	PROGRAMMABLE	TRADITIONAL		
Black & inox	CAF100PX	-	CAF2012XT	CAF815X	-
Black	-	CAF1318E	-	-	CAF1318
White	-	-	-	-	CAF1318S
FEATURES					
Capacity (cups)	10	18	12	15	18
Tank capacity (L)	1	1.8	1.25	1.5	1.8
Carafe type	Glass, graduated	Glass, graduated	Thermos	Glass, graduated	Glass, graduated
Programmable	-	up to 24h	-	-	-
Display	-	LCD screen	-	-	-
Homogeneous water spraying	-	■	■	■	■
Keep warm	30min	40min	5min	40min	40min
Water level indicator	■	■	■	■	■
Non-slip backing	■	■	■	■	■
Permanent filter	-	-	-	-	-
Anti-drip	-	■	■	■	■
Backlit on/off switch	■	■	■	■	■
ELECTRICAL CONNECTION					
Power (W)	1,000	1,000	1,100	800	1,000
Voltage / Frequency / Intensity	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz
SAFETY					
Thermal safety	■	■	■	■	■
Automatic switch off	30min	40min	5min	40min	40min
Safety system	■	■	■	■	■
DIMENSIONS - WEIGHT					
Overall H x W x D (cm)	26.8 x 19.5 x 16.5	31.9 x 17.2 x 24.3	36.8 x 22.7 x 18.3	34.4 x 26.2 x 19.6	31.9 x 17.2 x 24.3
Box H x W x D (cm)	26.5 x 24.5 x 18	35 x 28.8 x 18.6	38.8 x 26 x 22	36 x 27.6 x 20.8	35 x 28.8 x 18.6
Box weight (kg)	1.8	2	3.1	2	2
Package H x W x D (cm)	29 x 51 x 38	36.5 x 59 x 39	40.5 x 45.4 x 27.4	37.6 x 56.8 x 43.2	36.5 x 59 x 39
Net / gross package weight (kg)	7.2 / 8.2	8 / 8.9	6.2 / 7	6 / 9	8 / 8.9
Number of boxes per package	4	4	2	4	4
Number of packages per layer	4	4	6	4	4
Number of packages per pallet	20	16	24	12	16
Pallet H x W x D (cm)	145 x 120 x 80	162 x 120 x 80	177 x 120 x 80	144.6 x 120 x 80	162 x 120 x 80
Cable length (m)	0.75	0.75	0.75	0.75	0.75
EAN CODE					
Black & inox	366 076...	794 123 6	-	720 214 6	793 809 0
Black	366 076...	-	720 211 5	-	720 212 2
White	366 076...	-	-	-	793 949 3

KETTLES



DATASHEET	SMART KETTLES			SMART TEAPOT	TRADITIONAL KETTLES		
Red	-	-	-	-	-	-	BO1215R
Black	BO2000EN	-	BO1200EN	-	-	-	-
White & silver	-	-	-	-	BO1705S	-	-
Chrome	-	-	-	-	-	-	BO1215MI
Inox	-	BO1700EX	-	-	-	BO1700X	-
Glass	-	-	-	TH1700EV	-	-	-
FEATURES							
Tank capacity (L)	1.7	1.7	1.2	1.7	1.7	1.7	1.2
Water level indicator	■	■	■	■	■	■	-
Graduation of tank	Litre	Litre	Litre and number of cups	Number of cups	Litre	Litre	Litre
Hinged lid	■	■	■	-	■	■	■
Control panel	Touch control + LED	On base: mechanical control + LED screen	On base: mechanical control + LED screen	On handle: mechanical control + LED screen	-	-	-
Number of pre-recorded programmes	-	6	6	-	-	-	-
Automatic switch off to boiling	■	■	■	■	■	■	■
Temperature control	■	■	■	■	-	-	-
Temperature can be adjusted (°C)	From 40 to 100	From 40 to 100	From 40 to 100	From 50 to 100	-	-	-
Temperature setting	of 5 in 5	of 5 in 5	of 5 in 5	of 5 in 5	-	-	-
Keep warm	■	■	■	■	■	■	■
Limescale filter	Removable	Removable	Removable	Removable	Fix	Removable	Removable
Multidirectional connection base 360°	■	■	■	■	■	■	■
ON/OFF button	■	■	■	■	■	■	■
Backlit on/off switch	■	■	■	■	■	■	■
Integrated heating element	■	■	■	■	■	■	■
ELECTRICAL CONNECTION							
Power (W)	2,200	2,200	2,200	2,200	2,200	2,200	2,200
Voltage / Frequency / Intensity	220-240V / 50-60Hz	220-240V / 50Hz	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz	220-240V / 50-60Hz
SAFETY							
Thermal safety	■	■	■	■	■	■	■
DIMENSIONS - WEIGHT							
Overall H x W x D (cm)	26.6 x 23.4 x 16.6	25.1 x 21.5 x 21	22.6 x 21.3 x 19.6	29.8 x 22.5 x 22.5	28.2 x 25 x 18.6	24.7 x 22.7 x 15.3	20 x 15.2 x 20.9
Box H x W x D (cm)	26.2 x 23.5 x 19.2	26.8 x 23.5 x 19.2	22.8 x 21.1 x 16.6	27.2 x 19.2 x 23.5	27.2 x 23.5 x 19.2	24.8 x 21.3 x 16.5	20 x 16.2 x 35.6
Box weight (kg)	1.79	1.75	1.28	1.32 / 1.7	1.35	1.17	0.79 / 1.05
Package H x W x D (cm)	28.2 x 59.5 x 28.2	56.6 x 59.5 x 25.5	47.8 x 35.4 x 22.5	29.4 x 39.8 x 49	29.4 x 49 x 39.8	52.2 x 51.5 x 22.5	42.8 x 21.4 x 34.4
Net / gross package weight (kg)	5.37 / 5.97	7.8 / 11.8	5.12 / 5.72	7 / 7.53	4 / 6	7.62 / 8.1	3.16 / 4.79
Number of boxes per package	3	6	4	4	4	6	4
Number of packages per layer	6	6	10	6	4	7	5
Number of packages per pallet	36	18	30	24	20	21	35
Pallet H x W x D (cm)	184.2 x 120 x 80	184.8 x 120 x 80	158.4 x 120 x 80	174.2 x 120 x 80	162 x 120 x 80	171.6 x 120 x 80	164.8 x 120 x 80
Cable storage	Roller furling	Roller furling	Roller furling	Roller furling	Roller furling	Roller furling	Roller furling
Cable length (m)	0.75	0.75	0.80	0.75	0.75	0.75	0.75
EAN CODE							
Red	366 076...	-	-	-	-	720 731 8	795 369 7
Black	366 076...	794 139 7	-	720 703 5	-	-	-
White & silver	366 076...	-	-	-	793 948 6	-	-
Chrome	366 076...	-	-	-	-	-	795 355 0
Inox	366 076...	-	720 723 3	-	-	720 732 5	-
Glass	366 076...	-	-	795 535 6	-	-	-

TECHNICAL CHARTS BREAKFAST APPLIANCES

JUICE EXTRACTOR



DATASHEET	
Black & Green	SLJ200
FEATURES	
Number of filters	2
Protective cover	■
Tank capacity (L)	Unlimited
Dip tray	■
Cleaning brush	■
Control panel	Touch sensitive
Number of filling tubes	2
ON/OFF button	■
Reverse function	■
ELECTRICAL CONNECTION	
Power (W)	200
Voltage / Frequency / Intensity	220-240V 50 / 60Hz
DIMENSIONS - WEIGHT	
Overall H x W x D (cm)	42.5 x 17.5 x 24
Box H x W x D (cm)	34.4 x 22 x 41.8
Net / gross weight (kg)	4.7 / 5.6
Package H x W x D (cm)	36.6 x 42.5 x 45.8
Net / gross package weight (kg)	12.5 / 11.4
Number of boxes per package	2
Number of packages per layer	4
Number of packages per pallet	16
Pallet H x W x D (cm)	185 x 120 x 80
Cable length (m)	
EAN CODE	
Black & Green	366 076... 795 528 8

CITRUS PRESS



DATASHEET	
White & Green	PAI-40V
FEATURES	
Cone number	2
Protective cover	■
Tank capacity (L)	Unlimited
Sieve material	Inox
ELECTRICAL CONNECTION	
Power (W)	40
Voltage / Frequency / Intensity	220-240V / 50Hz
DIMENSIONS - WEIGHT	
Overall H x W x D (cm)	21.4 x 16 x 16
Box H x W x D (cm)	22 x 16.4 x 16.4
Net / gross weight (kg)	0.70 / 0.86
Package H x W x D (cm)	24.4 x 51.1 x 34.7
Net / gross package weight (kg)	4.27 / 6.34
Number of boxes per package	6
Number of packages per layer	4
Number of packages per pallet	28
Pallet H x W x D (cm)	185 x 120 x 80
Cable storage	Compartment
Cable length (m)	1.1
EAN CODE	
White & Green	366 076... 757 669 8

TOASTERS



DATASHEET			
White & Silver	GP2000EW	GP1000EW	-
Inox	-	-	GP100X
FEATURES			
Type of bread	All types of bread	All types of bread	All types of bread
Very high lift	■	■	■
Crumb drawer	■	■	■
Thermostat position	7	7	7
Slots number	2	1	1
Width of the slots	3.7	3.7	3.8
Length of the slots	25	25	25
Control type	Mechanical	Mechanical	Mechanical
Automatic switch off	■	■	■
Defrosting function	■	■	■
Reheating function	■	■	■
Baguette toasting function	■	■	-
ELECTRICAL CONNECTION			
Power (W)	1,400	800	800
Voltage / Frequency / Intensity	230V-50 / 60Hz	230V-50 / 60Hz	230V-50 / 60Hz
DIMENSIONS - WEIGHT			
Overall H x W x D (cm)	17.4 x 40 x 16	17.4 x 40 x 12.6	17.7 x 38.5 x 13
Box H x W x D (cm)	21.2 x 45 x 20.2	21.5 x 42 x 17	21.5 x 42 x 17
Net / gross weight (kg)	1.72 / 2.21	1.4 / 1.86	1.94
Package H x W x D (cm)	44.4 x 46.3 x 21.5	45 x 43.5 x 18.5	45 x 43.3 x 35.2
Net / gross package weight (kg)	3.44 / 4.89	2.8 / 4.2	8.4
Number of boxes per package	2	2	4
Number of packages per layer	7	8	5
Number of packages per pallet	21	24	15
Pallet H x W x D (cm)	148.2 x 120 x 80	150 x 120 x 80	150 x 120 x 80
Cable storage	Roller furling	Roller furling	Roller furling
EAN CODE			
White & Silver	366 076... 794 136 6	794 135 9	-
Inox	366 076... -	-	720 729 5

TECHNICAL CHARTS CULINARY PREPARATION

FOOD PROCESSORS



DATASHEET	PASTRY MACHINES		FOOD PROCESSORS			
Red	-	-	-	-	KM845BR	KM544BR
Inox	-	-	KM1557BG	KM1554B	-	-
Silver	KMC1257BS	KMC1254BS	-	-	-	-
FEATURES						
Heating/Non-heating	Heating	Heating	Non-heating	Non-heating	Non-heating	Non-heating
Bowl capacity	5.5L	5.5L	5.5L	5.5L	4.3L	4L
Bowl material	Inox	Inox	Inox	Inox	Inox	Inox
Body material	Plastic	Plastic	Metal	Metal	Plastic	Plastic
Non-slip feet (suction cups)	■	■	■	■	■	■
Anti-splash lid	■	■	■	■	■	■
Timer	Yes	Yes	-	-	-	-
Speeds number	6 + pulse	6 + pulse	6 + pulse	6 + pulse	6 + pulse	6 + pulse
Blender bowl	1.5L Glass	1.5L Glass	1.6L Glass	1.6L Glass	1.5L Glass	1.5L Glass
Blades number	4	4	6	6	4	4
Accessories	Whisk, Dough hook, Flat beater, Flexible beater, Meat grinder, Grater/slicer, Pasta accessories, Cookbook	Whisk, Dough hook, Flat beater, Flexible beater, Cookbook	Whisk, Dough hook, Beater, Meat grinder, Sausage accessories, Grater/slicer, Pasta accessories, Storage case and Cookbook	Whisk, Dough hook, Beater and Cookbook	Whisk, Dough hook, Flat beater, Meat grinder, Grater/slicer	Whisk, Dough hook and Beater
ELECTRICAL CONNECTION						
Total power (W)	1,200	1,200	1,500	1,500	1,000	450
Voltage / Frequency / Intensity	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz / 60Hz
DIMENSIONS - WEIGHT						
Overall H x W x D (cm)	35.7 x 37 x 20.2	35.7 x 37 x 20.2	40.3 x 41.4 x 31	40.3 x 41.4 x 31	32 x 37.2 x 22	55 x 33.9 x 18.5
Box H x W x D (cm)	40.4 x 61 x 33.4	40.4 x 61 x 33.4	45.5 x 58 x 34	45.5 x 58 x 34	37.8 x 53.2 x 29	33.5 x 54 x 22.8
Net weight with all accessories (kg)	10.71	9.42	12.1	10.8	8.58	6.5
Package H x W x D (cm)	42.4 x 62.5 x 35	42.4 x 62.5 x 35	47 x 59.3 x 35.3	47 x 59.3 x 35.3	39.6 x 59.8 x 54.8	35.5 x 55.5 x 47.1
Net / gross package weight (kg)	9.53 / 13.173	9.53 / 11.893	12.1 / 15	10.8 / 13.6	16 / 21.28	11.6 / 14
Number of boxes per package	1	1	1	1	2	2
Number of packages per layer	3	3	4	4	4	4
Number of packages per pallet	12	12	12	12	12	12
Pallet H x W x D (cm)	184.6 x 120 x 80	184.6 x 120 x 80	156 x 120 x 80	156 x 120 x 80	179.4 x 120 x 80	157 x 120 x 80
Cable length (m)	0.9	0.9	1	1	0.9	1
EAN CODE						
Red	366 076...	-	-	-	795 540 0	720 451 5
Inox	366 076...	-	793 952 3	793 830 4	-	-
Silver	366 076...	795 878 4	795 877 7	-	-	-

ACCESSORIES FOR FOOD PROCESSORS



DATASHEET	
Inox	HPM1554
FEATURES	
Material	Inox
Meat grinder:	■
- 1 grid to chop finely	■
- 1 grid to chop medium	■
- 1 grid to chop large	■
Sausage accessories:	■
- 1 tube fine sausage	■
- 1 tube large sausage	■
Accessories for pasta:	■
- 1 disk for thin spaghetti	■
- 1 disk for thick spaghetti	■
- 1 disk for tagliatelle	■
- 1 disk for macaroni	■
- 1 disk for fetuccini	■
DIMENSIONS - WEIGHT	
Box H x W x D (cm)	16.5 x 24 x 13
Package H x W x D (cm)	18.8 x 50.5 x 27
Net / gross package weight (kg)	4 / 5.3
Number of boxes per package	4
Number of packages per layer	6
Number of packages per pallet	54
Pallet H x W x D (cm)	184 x 120 x 80
EAN CODE	
Inox	366 076 794 032 1

RÉFÉRENCE	
Inox	FP1554
FEATURES	
Material	Inox
- 1 disk for grating finely	■
- 1 disk for thick grating	■
- 1 disk for slicing	■
DIMENSIONS - WEIGHT	
Box H x W x D (cm)	12.5 x 20 x 8.5
Package H x W x D (cm)	14.5 x 42.5 x 19
Net / gross package weight (kg)	1.58 / 1.9
Number of boxes per package	4
Number of packages per layer	11
Number of packages per pallet	99
Pallet H x W x D (cm)	174 x 120 x 80
EAN CODE	
Inox	366 076 794 031 4

TECHNICAL CHARTS CULINARY PREPARATION

BLENDERS



DATASHEET			
Inox	BLE615EG	-	-
Red	-	BLE515R	BLE250R
FEATURES			
Capacity (L)	1.5	1.5	0.8
Body material	Inox	Plastic	Inox
Bowl material	Glass	Glass	Glass
Functions	Ice crush, grind, mix	Mix	Mix
Blades number	4 blades	3 blades	4 blades
Speeds number	2 + pulse + crushed ice function	2 + pulse	2 + pulse
Non-slip feet (suction cups)	■	■	■
ELECTRICAL CONNECTION			
Power (W)	600	500	250
Voltage / Frequency / Intensity	220-240V / 50Hz / 60Hz	220-240V / 50Hz / 60Hz	220-240V / 50Hz / 60Hz
DIMENSIONS - WEIGHT			
Overall H x W x D (cm)	41 x 17.6 x 17.6	44.5 x 20.4 x 19	32.9 x 15.3 x 13.5
Box H x W x D (cm)	35.3 x 21 x 25.5	35.6 x 27 x 20.4	28.7 x 21.8 x 17.9
Net / gross weight (kg)	3.46	3.16	1.97
Package H x W x D (cm)	37 x 52.5 x 43.5	39 x 43.2 x 29.2	30.6 x 45.6 x 37.6
Net / gross package weight (kg)	14.2 / 15.98	6.32 / 7.32	7.88/ 9.55
Number of boxes per package	4	2	4
Number of packages per layer	4	6	5
Number of packages per pallet	12	24	20
Pallet H x W x D (cm)	145.5 x 120 x 80	156 x 120 x 80	154 x 120 x 80
Cable length (m)	1.25	0.7	1.25
EAN CODE			
Inox	366 076...	720 219 1	-
Red	366 076...	-	793 802 1
			720 450 8

HAND BLENDER



DATASHEET	
White & Green	MX5SLIMV
FEATURES	
Power (W)	400
Speeds number	Speed control
Blades number	4 (removable)
Blades material	Inox
Mini chopper	■
Number of turns per minutes	14,200 (+/- 12%)
ELECTRICAL CONNECTION	
Voltage / Frequency / Intensity	220-240V / 50Hz
DIMENSIONS - WEIGHT	
Overall H x W x D (cm)	32.8 x 10 x 10
Box H x W x D (cm)	38 x 13 x 20
Net / gross weight (kg)	0.85/1.32
Package H x W x D (cm)	40.5 x 28 x 42
Net / gross package weight (kg)	6.18 / 5.28
Number of boxes per package	4
Number of packages per layer	6
Number of packages per pallet	24
Pallet H x W x D (cm)	177 x 120 x 80
Cable length (m)	1
EAN CODE	
White & Green	366 076 795 373 4

CHOPPERS



DATASHEET		
Green	-	HAC300V
White & Grey	HAC1200BG	-
FEATURES		
Capacity (L)	Unlimited	1L
Engine block material	Plastic	Plastic
Bowl material		Glass
Functions	Chop	Chop
Blades number	2	2
Non-slip feet (suction cups)	•	Non-slip base
Maintenance of bowl and blades	Washable to dishwasher	Washable to dishwasher
Accessories	3 disks to chop finely, medium and large + sausages accessory and kebbés	-
ELECTRICAL CONNECTION		
Power (W)	1,200	300
Voltage / Frequency / Intensity	220-240V / 50Hz / 60Hz	220-240V / 50Hz
DIMENSIONS - WEIGHT		
Overall H x W x D (cm)	21 x 25.3 x 14	22.5 x 18.7 x 15.8
Box H x W x D (cm)	24.5 x 39.2 x 18.8	26.5 x 22.5 x 19.5
Net / gross weight (kg)	3	1.8
Package H x W x D (cm)	51 x 41 x 39.2	54.8 x 60.3 x 24
Net / gross package weight (kg)	11 / 13.5	12 / 13.7
Number of boxes per package	4	6
Number of packages per layer	5	6
Number of packages per pallet	15	18
Pallet H x W x D (cm)	168 x 120 x 80	179 x 120 x 80
Cable length (m)	1	1.1
EAN CODE		
Green	366 076...	-
White & Grey	366 076...	795 529 5
		-

ICE CREAM MAKERS



DATASHEET		
Fuchsia	SOR15EF	SOR05F
Red	SOR15ER	-
Purple	SOR15EP	SOR05P
FEATURES		
Capacity (L)	1.5	0.5
Timer	Electronic with LCD screen	-
Accumulator element	Bowl	Bowl
Bowl cooling temperature in the freezer (h)	10 to 12	8 to 10
Accessories	Lid + ice cream spoon	-
ELECTRICAL CONNECTION		
Power (W)	9.5	9.5
Voltage / Frequency / Intensity	220-240V / 50Hz	220-240V / 50Hz
DIMENSIONS - WEIGHT		
Overall H x W x D (cm)	23.4 x 20.8 x 20	16 x 14 x 14
Box H x W x D (cm)	29 x 23.5 x 23.5	21.6 x 17.5 x 17
Net / gross weight (kg)	3.26	1
Package H x W x D (cm)	31 x 49 x 49	23.5 x 37.3 x 35.5
Net / gross package weight (kg)	13 / 14	5.6/6.3
Number of boxes per package	4	4
Number of packages per layer	5	6
Number of packages per pallet	15	42
Pallet H x W x D (cm)	162 x 120 x 80	178.1 x 120 x 80
Cable length (m)	1.6	-
EAN CODE		
Fuchsia	366 076...	720 024 1
Red	366 076...	720 027 2
Purple	366 076...	720 026 5
		795 534 9

TECHNICAL CHARTS CULINARY PREPARATION

VACUUM SEALERS



DATASHEET	
Transparent	SAC-28R
FEATURES	
Description	Rolls of food bags
Associated products	SOU-110 + SOU-110V + SOU130S
Rolls number	2
Thickness	1 to 2mm
Use	Fridge, freezer, microwaves, water bath
Maintenance	Washable and reusable
DIMENSIONS - WEIGHT	
Overall H x W x D (cm)	28 x 500
Box H x W x D (cm)	6.5 x 28.8 x 12.3
Net / gross weight (kg)	0.7 / 0.73
Package H x W x D (cm)	31 x 26 x 20
Net / gross package weight (kg)	4.38 / 4.95
Number of boxes per package	6
Number of packages per layer	4
Number of packages per pallet	20
Pallet H x W x D (cm)	165 x 120 x 80
EAN CODE	
Transparent	366 076... 755 973 8



DATASHEET		
White & Grey	SOU130S	-
White & Green	-	SOU-110V
FEATURES		
Description	Vacuum sealer	Vacuum sealer
Film width	-	28cm
Manual off of the vacuum	■	■
Indicator light of the vacuum	■	■
Vacuum (bar)	0.8	0.7
Suction capacity	12l / min	9l / min
Cable storage	Compartment	Compartment
Cable length (m)	1.2	1.2
ELECTRICAL CONNECTION		
Power (W)	130	110
Voltage / Frequency / Intensity	220-240V / 50Hz	220-240V / 50Hz
DIMENSIONS - WEIGHT		
Overall H x W x D (cm)	92 x 40.1 x 19	8.6 x 35.7 x 14.8
Box H x W x D (cm)	27.3 x 44 x 27	20.5 x 37 x 10
Net / gross weight (kg)	2.05	1.9
Package H x W x D (cm)	29.5 x 45.5 x 28.5	23 x 41.7 x 38.5
Net / gross package weight (kg)	5.5 / 6	7.7 / 8
Number of boxes per package	1	4
Number of packages per layer	6	4
Number of packages per pallet	30	28
Pallet H x W x D (cm)	162.5 x 120 x 80	176 x 120 x 80
EAN CODE		
White & Grey	366 076... 795 901 9	-
White & Green	366 076... -	990 150 4

TECHNICAL CHARTS COOKING

FREE STANDING OVENS



DATASHEET	40L			26L	21L	16L
White	-	-	FC405MW	FC265MW	FC215MW	FC160MW
Black	FC405MEB	FC405MHB	FC405MB	FC265MB	FC215MB*	-
Silver	FC405MES	FC405MHS	-	-	-	-
Mirror door	-	-	FC405MI	-	-	-
FEATURES						
Capacity (L)	40	40	40	26	21	16
Cooking mode	Multifunction	Multifunction	Multifunction	Multifunction	Multifunction	Multifunction
Cavity type	No-stick	No-stick	No-stick	No-stick	No-stick	No-stick
Functional indicator	LCD screen	■	■	■	■	■
Thermostat	Adjustable from 50°C to 250°C	Adjustable from 50°C to 250°C	Adjustable from 50°C to 250°C	Adjustable up to 250°C	Adjustable up to 250°C	Adjustable up to 250°C
Timer	120min	120min	120min	120min	120min	120min
Inside lighting	■	■	■	-	-	-
Programmer	Electronic	Hybrid	Mechanical	Mechanical	Mechanical	Mechanical
Maximum dimensions of round/rectangular dish (cm)	29 / 29-40	29 / 29-40	29 / 29-40	28 / 29-32	24 / 29-24	24.5 / 24.5-27
Shelves numbers	4	4	4	4	3	3
Turn spit	■	■	■	■	-	-
Grid	■	■	■	■	■	■
Drip tray	■	■	■	■	■	■
Handle for the grid	■	■	■	■	■	■
ELECTRICAL CONNECTION						
Voltage / Frequency / Intensity	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz	220-240V - 50/60Hz
Power	2,100W	2,100W	2,100W	1,500W	1,380W	1,200W
DIMENSIONS - WEIGHT						
Overall H x W x D (cm)	37.6 x 57.5 x 43.3	37.6 x 57.5 x 43.3	37.6 x 57.5 x 43.3	31.8 x 47.8 x 41.3	29 x 46.1 x 37.2	27.7 x 40.6 x 34.5
Box H x W x D (cm)	43.7 x 63.3 x 47.8	43.7 x 63.3 x 47.8	43.7 x 63.3 x 47.8	37 x 52.9 x 45.3	35.2 x 51.3 x 41.2	32.3 x 45.1 x 37.5
Net / gross weight (kg)	15.1	14.7	14.4	10.86	8.9	6.7
Package H x W x D (cm)	45.2 x 64.3 x 48.6	45.2 x 48.6 x 64.3	45.2 x 48.6 x 64.3	38.4 x 54 x 46.5	36.5 x 52.5 x 42.2	33.8 x 46.2 x 38.6
Net / gross package weight (kg)	15.1 / 15.9	15 / 15.5	14.8 / 15.2	10.8 / 11.5	8.9 / 9.45	6.7 / 7.3
Number of boxes per package	1	1	1	1	1	1
Number of packages per layer	2	2	2	4	4	4
Number of packages per pallet	6	6	6	12	16	20
Pallet H x W x D (cm)	150 x 120 x 80	150 x 120 x 80	150 x 120 x 80	124 x 120 x 80	158 x 120 x 80	180 x 120 x 80
Cable length (m)	1	1	1	1	1	1
EAN CODE						
White	366 076...	-	720 735 6	721 059 2	721 097 4	793 766 6
Black	366 076...	720 741 7	720 738 7	721 099 8	721 098 1	-
Silver	366 076...	720 742 4	720 740 0	-	-	-
Mirror door	366 076...	-	795 810 4	-	-	-

TECHNICAL CHARTS COOKING

FREE STANDING INDUCTION HOBS



DATASHEET					
Silver	-	-	-	TI2010S	-
White	-	-	-	TI2010W	-
Black	TI2F50FT	TI1F50FT	TISLIM	-	TI2005
FEATURES					
Zones number	2	1	1	1	1
Control type	Sensitive touch	Sensitive touch	Sensitive touch	Sensitive touch	Sensitive touch
Slider	■		■	■	■
Hob material	Vitroc ceramic	Vitroc ceramic	Vitroc ceramic	Vitroc ceramic	Vitroc ceramic
Frame material	Soft touch	Soft touch	Plastic	Plastic	Plastic
Full glass area	■	■	■	■	-
Dimension of heating element (cm)	12 to 26	12 to 26	12 to 26	12 to 26	12 to 26
Maximum power of heating element (W)	3,400	2,000	2,000	2,000	2,000
Power levels	10	10	10	10	8
Timer	180min	180min	180min	180min	180min
Functional indicator	■	■	■	■	■
Sound signal at the end of cooking	■	■	■	■	■
Keep warm function	■	■	■	■	■
Boost function	■	-	■	■	■
Simmer function	■	-	■	■	-
Frying function	■	-	■	■	-
Boiling function	■	-	■	■	-
ELECTRICAL CONNECTION					
Power (W)	3,400	2,000	2,000	2,000	2,000
Voltage / Frequency / Intensity	220-240V / 50V	220-240V / 50V	220-240V / 50V	220-240V / 50V	220-240V / 50V
SAFETY					
On-Off indicator	■	■	■	■	■
Touchpad lock	■	■	■	■	■
Cookware detection	■	■	■	■	■
DIMENSIONS - WEIGHT					
Overall H x W x D (cm)	6 x 60.5 x 39	6 x 29 x 35.5	4.3 x 32 x 39.5	6 x 38.5 x 29.6	6.5 x 36 x 29
Box H x W x D (cm)	45.5 x 64.5 x 10.5	40 x 33 x 9	43 x 35.5 x 7.2	45.5 x 36.5 x 12.8	42.5 x 34 x 11
Net / gross weight (kg)	5.3	2.7	2.9	3.3	3.1
Package H x W x D (cm)	47.5 x 66 x 23	42 x 38 x 34.5	45.5 x 37 x 31	48 x 53 x 37.8	45 x 46 x 35.5
Net / gross package weight (kg)	10.79 / 12.5	10 / 11.2	12 / 12.9	11.4 / 14.6	10.8 / 13.6
Number of boxes per package	2	4	4	4	4
Number of packages per layer	5	5	6	4	4
Number of packages per pallet	15	20	18	12	12
Pallet H x W x D (cm)	157 x 120 x 80	183 x 120 x 80	151 x 120 x 80	159 x 120 x 80	150 x 120 x 80
Cable length (m)	1.5	1.5	1.5	1.5	1.5
EAN CODE					
Silver	366 076...	-	-	794 133 5	-
White	366 076...	-	-	794 140 3	-
Black	366 076...	793 923 3	793 977 6	793 922 6	793 964 6

DEEP FRYERS



DATASHEET			
Inox	FRI2202E	FRI2102E	-
White & Purple	-	-	FRI2500E
Red	-	FRI2102ER	-
FEATURES			
Tank material	Enamelled	Enamelled	Aluminium
Lid material	Inox and glass	Plastic and glass	Plastic
Control display	-	LCD	LCD
Control type	Mechanical	Digital	Adjustable thermostat
Tank capacity (L)	5	3	2.5
Basket capacity (chips) (kg)	1 basket x 1.6kg or 2 baskets x 800g	1kg	1.2kg
Resistance type	Immersed	Immersed	Integrated
Adjustable thermostat (°C)	From 130 to 190	From 130 to 190	From 140 to 190
Timer	Mechanical	Electronic	Electronic
Anti-fat filter	■	-	■
Viewing window	■	■	■
Completely removable	■	■	Removable tank
ELECTRICAL CONNECTION			
Power (W)	3,000	2,000	2,000
Voltage / Frequency / Intensity	220-240V / 50Hz	220-240V / 50Hz	220-240V / 50Hz
SAFETY			
Cold zone in tank bottom	■	■	■
DIMENSIONS - WEIGHT			
Overall H x W x D (cm)	24.5 x 35.5 x 34.5	16 x 41 x 21	26 x 34 x 29
Box H x W x D (cm)	27.5 x 37.6 x 37.6	25.7 x 42.6 x 22.5	31 x 39.5 x 33
Net / gross weight (kg)	4.8	3.4	4.65
Package H x W x D (cm)	29 x 38.8 x 38.8	26.7 x 46.1 x 43.4	32.5 x 67.5 x 41
Net / gross package weight (kg)	4.8 / 5.4	6.8 / 7.3	9.3 / 10.2
Number of boxes per package	1	2	2
Number of packages per layer	6	6	3
Number of packages per pallet	30	18	12
Pallet H x W x D (cm)	160 x 120 x 80	153 x 120 x 80	179 x 120 x 80
Cable storage	Compartment	Compartment	Compartment
Cable length (m)	1	1	0.8
EAN CODE			
Inox	366 076...	720 239 9	720 210 8
White & Purple	366 076...	-	-
Red	366 076...	-	795 843 2

TECHNICAL CHARTS COOKING

PLANCHA



DATASHEET		
Black	PLA1322N	
FEATURES		
Material	No-stick	
On/Off indicator	■	
Cooking area number	1	
Cooking area dimensions	46 x 25.5cm	
Adjustable thermostat (°C)	from 80°C to 200°C	
Thermostat positions number	5	
Grease drip tray	■	
Removable tray	■	
ELECTRICAL CONNECTION		
Power (W)	2,200	
Voltage / Frequency / Intensity	230V / 50Hz	
SAFETY		
Cold-walls	■	
DIMENSIONS - WEIGHT		
Overall H x W x D (cm)	8.5 x 53.5 x 25.5	
Box H x W x D (cm)	31.2 x 57.6 x 11.4	
Net / gross weight (kg)	3.2	
Package H x W x D (cm)	32 x 62.2 x 23.6	
Net / gross package weight (kg)	7 / 7.1	
Number of boxes per package	2	
Number of packages per layer	3	
Number of packages per pallet	18	
Pallet H x W x D (cm)	165 x 120 x 80	
Cable length (m)	1	
EAN CODE		
Black	366 076...	795 315 4

CIRCULAR RACLETTE GRILL



DATASHEET			
Red & Black		RAC2x4MG	
FEATURES		RAC800MG	
Capacity (people number)		4 or 8	8
Material		No-stick aluminium cast-iron	No-stick aluminium
No-stick pans number		8	8
ON/Off button		By temperature control	By temperature control
Shape		Rectangular (table runner)	Circular
Washable elements to dishwasher		Plates and pans	Plates and pans
On/Off indicator light		■	■
ELECTRICAL CONNECTION			
Power (W)		2 x 700	900
Voltage / Frequency / Intensity		230V / 50-60Hz	230V / 50-60Hz
SAFETY			
Cold handles		■	■
DIMENSIONS - WEIGHT			
Overall H x W x D (cm)		11.8 x 37.8 x 29	13.5 x 44.6 x 44.6
Product / box weight (kg)		3.5	2.8
Box H x W x D (cm)		42.3 x 29.8 x 19.4	35.5 x 34.8 x 19.6
Package H x W x D (cm)		40.2 x 60.4 x 41.3	40.6 x 70.4 x 36.3
Net / gross package weight (kg)		12.8 / 14.5	9.6/ 11.7
Number of boxes per package		4	4
Number of packages per layer		4	6
Number of packages per pallet		12	30
Pallet H x W x D (cm)		144 x 120 x 80	160 x 120 x 80
EAN CODE			
Red & Black	366 076...	795 353 6	795 354 3

FONDUE SET



DATASHEET		
Red & Black		FON800NR
FEATURES		
Capacity (people number)	8	
Capacity of fondue pot	2L	
Adjustable thermostat (°C)	Up to 170°C	
Fondue forks number	8	
On/Off indicator	■	
No-stick treatment of fondue pot	■	
On/Off button	■	
Cable storage	■	
ELECTRICAL CONNECTION		
Power (W)	1,000	
Voltage / Frequency / Intensity	220-240V - 50Hz	
SAFETY		
Cold handles	■	
DIMENSIONS - WEIGHT		
Overall H x W x D (cm)	23.7 x 21 x 30.5	
Product / box weight (kg)	2.5	
Box H x W x D (cm)	49.5 x 27.2 x 14	
Package H x W x D (cm)	29.4 x 55.2 x 50.3	
Net / gross package weight (kg)	7.5 / 10.5	
Number of boxes per package	4	
Number of packages per layer	4	
Number of packages per pallet	12	
Pallet H x W x D (cm)	165 x 120 x 80	
EAN CODE		
Red & Black	366 076...	720 722 6

SUSHI PARTY



DATASHEET		
Red & Black		SUP515
FEATURES		
Material		Aluminium
On/Off indicator		■
Capacity (L)		1.2L (0.8kg of rice)
ELECTRICAL CONNECTION		
Power (W)		500
Voltage / Frequency / Intensity		220-240V / 50-60Hz
DIMENSIONS - WEIGHT		
Overall H x W x D (cm)		24.2 x 25.8 x 24.5
Box H x W x D (cm)		33.5 x 26.8 x 26.8
Net / gross weight (kg)		2.625kg
Package H x W x D (cm)		36 x 55.2 x 28.3
Net / gross package weight (kg)		6/7
Number of boxes per package		2
Number of packages per layer		4
Number of packages per pallet		16
Pallet H x W x D (cm)		153 x 120 x 80
Cable length (m)		0.95
EAN CODE		
Red & Black	366 076...	795 331 4

PANCAKE MAKER



DATASHEET		
Red & Black	CR1500NR	
FEATURES		
Material	No-stick aluminium cast-iron	
On/Off indicator	■	
Plates number	2	
Adjustable thermostat	Max 240°C	
Thermostat positions number	3: 0, 1 and 2 (0=off / 1=80°C / 2=240°C)	
Removable plates	■	
Capacity (people number)	7	
On/Off control system	By temperature control	
Washable elements to dishwasher	2 plates (for large pancake and 7 small pancakes)	
ELECTRICAL CONNECTION		
Power (W)	1,500	
Voltage / Frequency / Intensity	230V / 50-60Hz	
DIMENSIONS - WEIGHT		
Overall H x W x D (cm)	10.3 x 36 x 36	
Box H x W x D (cm)	27.8 x 42.8 x 42.8	
Net / gross weight (kg)	4.7	
Package H x W x D (cm)	44 x 56.8 x 43.6	
Net / gross package weight (kg)	12 / 12.7	
Number of boxes per package	2	
Number of packages per layer	2	
Number of packages per pallet	6	
Pallet H x W x D (cm)	147 x 120 x 80	
Cable length (m)	1.15	
EAN CODE		
Red & Black	366 076...	795 580 6

